


Public Use Data Tape Documentation

Health History Supplement, Ages 12-74 Tape Number 5305 National Health and Nutrition Examination Survey, 1976-80











Public Use Data Tape Documentation

Health History Supplement, Ages 12-74 Tape Number 5305 National Health and Nutrition Examination Survey, 1976-80









U.S. DEPARTIMENT OF HEALTH AND HUMAN SERVICES Public Health Service Centers for Disease Control National Center for Health Statistics

Hyattsville NID Reprinted October 1991

HEALTH HISTORY SUPPLEMENT, AGES 12-74 YEARS

NATIONAL HEALTH AND NUTRITION EXAMINATION SURVEY II

Documentation for Public Use Data Tape

Catalog Number 5305

This data tape contains demographic and health history data for persons 12 through 74 years of age interviewed and examined in the second National Health and Nutrition Examination Survey (NHANES II), conducted in 1976-1980 by the National Center for Health Statistics (NCHS), U.S. Public Health Service.

This document was prepared by the Division of Health Examination Statistics, NCHS. Michael Rowland, Rita Weinberger, Clyde Rippy, Josephine Blake, Arnold Engel, Marilyn Fein, Dorothy Blodgett, Marie Leahy, Patricia Vaive, William Kitching, Shirley Gray, and Romaine Sharp were responsible for the data compilation and technical review necessary to assemble this tape and construct the documentation. Preparation of drafts and final copy was accomplished by Carol Alexander, Sandra Payne, and Romaine Sharp.

NCHS PUBLIC USE TAPES

Public use data tapes from the National Center for Health Statistics (NCHS) for all NHANES II components will be released as soon as the data have been compiled and documented. It is anticipated that release will occur sequentially through December 1983. NHANES II data tapes are available for purchase from:

National Technical Information Service (NTIS) 5285 Port Royal Road Springfield, Virginia 22161

(703) 487-4650

A list of NCHS public use data tapes that can be purchased from NTIS can be obtained from:

Scientific and Technical Information Branch
National Center for Health Statistics
Center Building, Room 1-57
3700 East-West Highway
Hyattsville, Maryland 20782

(301) 436-8500

USE OF NCHS DATA TAPES

The National Center for Health Statistics requests the cooperation of recipients of data tapes in certain actions related to their use.

Any publication based on the data should acknowledge NCHS as the original source. It should include a disclaimer which credits the authors for any analyses, interpretations, or conclusions, and not NCHS, which is responsible only for the data.

Users who wish to publish a technical description of the data should make a reasonable effort to insure that the description is consistent with that published by NCHS. This does not mean, however, that NCHS will review such descriptions.

NCHS would appreciate receiving reprints of journal articles or other publications based upon findings from the NHANES II survey. Please send them to the address below.

The data tapes have been carefully edited. Some of the continuous data items have extremely high or low values. It has been verified that the values appear that way on the original interview documents; that is, it has been verified that the values have not resulted from incorrect keypunching. Within each data tape numerous consistency checks have been performed. However, due to the large volume of data collected in the survey, it is likely that a small number of errors or discrepancies remain undetected. NCHS would like to be informed if any such errors are detected so that errata sheets can be issued to previous purchasers and corrections made to a new data tape, if appropriate. Please contact:

Division of Health Examination Statistics
National Center for Health Statistics
Center Building, Room 2-58
3700 East-West Highway
Hyattsville, Maryland 20782
(301) 436-7068

CONTENTS

| | | | Page |
|------|------|--|------|
| I. | Nati | onal Health and Nutrition Examination Survey (NHANES II) | |
| | Α. | History and Scope | 1 |
| | В. | Sample Design and Recommendations for Analysis | 2 |
| II. | Heal | th History Supplement, Ages 12-74 Years | |
| | Α. | Description | 4 |
| | В. | Demographic and Health History Data Collection | 4 |
| | C. | Other History and Related Data Collection | 5 |
| | D. | Data Editing | 5 |
| III. | Tape | Characteristics and Description | |
| | Α. | Tape Characteristics | 6 |
| | В. | Index to Tape Positions | 7 |
| | | 1. Demographic Section | 7 |
| | | 2. Sample Weight Section | 11 |
| | | 3. Health History Data Section | 11 |
| | C. | Use of Special Terms | 12 |
| | D. | Tape Description | |
| | | 1. Demographic Data | 13 |
| | | 2. Health History Data | 38 |
| IV. | Deta | iled Notes | 130 |
| v. | Appe | ndix | |
| | | Data Collection Techniques and Content | 155 |
| VI. | Refe | rences | 161 |

I. NATIONAL HEALTH AND NUTRITION EXAMINATION SURVEY (NHANES II)

A. HISTORY AND SCOPE

- Description of Survey: NHANES II was one of a series of population based surveys conducted by the National Center for Health Statistics to help determine the health status of the Nation. Data were collected through response to questionnaires on medical and health history, food consumption, and health-related behavior. Data also were collected through direct medical examination. The tape documented here contains data from the demographic and health history parts of the survey for persons 12-74 years of age. A detailed description of the design, content, questionnaires, and operation of NHANES II is provided in the following report: Plan and Operation of the Second National Health and Nutrition Examination Survey, 1976-1980, DHHS Pub. No. (PHS) 81-1317, Vital and Health Statistics Series 1, No. 15, Public Health Service, available at cost from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. The stock number is 017-022-00752-5. One copy is provided with the documentation herein, and a general summary of the data collection techniques and content is given in the Appendix.
- 2. Target Population: NHANES II was conducted on a nationwide probability sample of approximately 28,000 persons 6 months through 74 years of age from the civilian, noninstitutionalized population of the United States. The survey started in February 1976 and was completed in February 1980. The NHANES II sample was selected so that certain population groups thought to be at high risk of malnutrition (persons with low incomes, preschool children, and the elderly) were oversampled. Adjusted sampling weights were then computed for 76 age, sex, and race categories to inflate the sample in such a manner as to closely reflect the estimated civilian, noninstitutionalized U.S. population 6 months through 74 years of age at the midpoint of the survey (March 1, 1978).

B. SAMPLE DESIGN AND RECOMMENDATIONS FOR ANALYSIS

NHANES II uses a multistage sample designed to represent the civilian, noninstitutionalized population of the United States, 6 months through 74 years of age. Since the sample is not a simple random one and certain population groups were oversampled, it is necessary to incorporate the person's sample weight for proper analysis of the data. The sample weight is a composite of the individual selection probability, adjustments for nonresponse, and poststratification adjustments.

NHANES II provides information on 20,322 individuals who were both interviewed and examined, and on another 4,964 individuals who were interviewed but not examined, in the age range 6 months through 74 years of age. In addition to the general examination components, several more detailed examinations were performed on subsamples of the population. Therefore, instead of there being one sample weight per person, there are several sample weights for each person. For a person not selected for a particular subsample, the associated subsample weight is zero. When analyzing the special subsamples, the analyst must be careful to select the appropriate sampling weight from the weights found in tape locations 282-317. For a more complete description of how the sample weights are calculated, see the detailed note section of this documentation. This file contains data on all 14,479 interviewed and examined persons 12 through 74 years of age.

The NHANES II data were collected using a complex sample design involving both clustering and stratification. Because of the complex design and the ratio adjustments applied to the sample weights, the direct application of standard statistical analysis methods for variance estimation and hypothesis testing may be very misleading. The modification of statistical analysis procedures to incorporate the effects of complex survey designs is an important area of research.

However, the current methodologies appropriate for the analysis of data from such surveys have not been made readily available in the standard packaged statistical software.

There are computer programs available which provide the capability of variance estimation for complex sample designs. The balanced repeated replication approach ¹ is utilized in &REPERR &PSALMS to calculate the variance-covariance matrix. Both routines are available within the OSIRIS IV library. SURREGR and SUPERCARP are programs that calculate the variance-covariance matrix using the linearization approach ⁵ (Taylor series expansion). Another program, SESUDAAN, calculates variances and design effects. SURREGR and SESUDAAN are special procedures for the SAS package, which is available from SAS Institute, Box 8000, Carey, N.C., 27511.

In order to provide the user with the capability of estimating the complex sample variances in the NHANES II data using the above procedures, Strata and Pseudo Primary Sampling Unit (PSU) codes have been provided on all data tapes in positions 324-326. These variables and the sample weights are necessary for the calculation of variances.

Even though the overall number of examined persons in this survey is quite large for statistical inference purposes, subclass analyses can lead to estimators that are unstable, particularly estimates of variances. Consequently, analyses of subclasses require that the user pay particular attention to the coefficient of variation for the estimates of means, proportions and totals. In addition, small sample sizes, or a small number of PSU's used in the variance calculations, may produce unstable estimates of the variances using the above computer programs.

An NCHS publication discusses these issues and describes analytic strategies for examining various hypotheses for the first National Health and Nutrition Examination Survey (NHANES I), which used a similar type of complex sample design.⁷

II. HEALTH HISTORY SUPPLEMENT, AGES 12-74 YEARS

A. DESCRIPTION

This data tape contains demographic, health history, and blood pressure data for persons 12-74 years old who were both interviewed and examined in the second National Health and Nutrition Examination Survey (NHANES II).

B. DEMOGRAPHIC AND HEALTH HISTORY DATA COLLECTION

A letter announcing the forthcoming arrival of an interviewer from the U.S. Bureau of the Census was mailed to each household that fell into the NHANES II probability sample. The interviewer visited the household, determined the appropriate sample person(s), and administered demographic and medical history questionnaires. Information on the household and the housing unit was obtained from an available and eligible household respondent. Demographic data for each sample person were obtained by self-response, when possible. When the sample person was not available, the interviewer obtained the data by proxy from any responsible adult in the household.

Medical history data were collected in the household from all sample persons who were later given direct medical examinations. At the examination center they were asked more questions about their health. The blood pressure data contained on this tape were collected during the physician's examination. The histories obtained at the examination center form the Health History Supplement data contained on this tape.

Some of the condition-related questions asked in the home were also asked as part of the Health History Supplement at the examination center. This redundancy was designed to allow analysis of data reliability and non-response (a small proportion of people interviewed in the home and selected for

examination did not receive examinations and supplemental history interviews). More detailed questions were asked in the examination centers so as to reduce respondent burden in the home. The sensitive nature of some other questions precluded their being asked in the household interview.

C. OTHER HISTORY AND RELATED DATA COLLECTION

Medical history data obtained in the household are available on another public use tape available from NTIS (Catalog Number 5020). That tape contains data on medicine/vitamin use; eating, digestion, and appetite; smoking; coffee and tea drinking; and data on: anemia, diabetes, hearing deficits, allergies, hypertension, and back and neck problems. Special attention also was given to cardiovascular, respiratory, kidney and bladder, liver and gall bladder diseases and hypertension.

Persons 25-74 years old were asked questions from a Behavior Questionnaire at the examination center. The questions were designed to elicit data on behavior thought to be associated with increased risk of coronary heart disease. A public use data tape with these data is in preparation (Catalog Number 5317).

D. DATA EDITING

Preliminary editing of the interview forms was done by personnel of NCHS. They verified and corrected, to the extent possible, problematic data and did further edits for consistency, completeness, and accuracy of the data against microfilm records of the original questionnaire where needed.

III. TAPE CHARACTERISTICS AND DESCRIPTION

A. TAPE CHARACTERISTICS

Title:

Health History Supplement Ages 12-74 Years

Catalog Number:

5305

Data Set Name:

HEHANES2.DU530501

Record Length:

810

Blocksize:

4050

Density:

1600 BPI

Number of Records: 14,479

Number of Reels:

1

Recording Mode:

Fixed Block, EBCDIC

Channel:

9 Track

Created by:

Division of Health Examination Statistics

National Center for Health Statistics

Hyattsville, Maryland

B. INDEX TO TAPE POSITIONS

| 1. | Den | nographic Section | Tape | Pos | itions |
|----|-----|--|-------------------|--|--|
| | a. | Residence Data | | | |
| | | Sample Sequence Number Catalog Number (5371-for Demographic Data only) Unused position(s) Size of place SMSA-not SMSA Unused position(s) Type of living quarters Land usage If rural, asked does this place have 10 acres or more? | 1 | | 9 10 11 12 |
| | | If 10 acres or more, asked if in the last 12 months did sales of farm produce and livestock amount to \$50 or more? | • • | | 27 |
| | | sales of farm produce and live stock amount to \$250 or more? Unused position(s) | 3 | 0- 2- | |
| | b. | Sample Person Data | | | |
| | | Unused position(s). Family relationship. Examination status. Family unit number. Unused position(s). Age-months (at interview). Age-years (at interview). Unused position(s). Date of birth-month. Date of birth-year. Sex. Race. In what State was he/she born? Is he/she married, widowed, divorced, separated, or never married? National origin or ancestry. Education level. Grade completed. What was he/she doing during most of the past 12 months?. What was he/she doing?. | 3' 4' 4' 4' 5: 5' | 7- 2- 5- 7- 9- 1- 3- 7- | 44 46 48 50 52 54 55 56 58 59 61 |
| | | Did he/she work at a job or business at any time during the past three months? | | ı | 67 68 |

Demographic Section (Cont.)

| | Sample Person Data (Cont.) | Tape | Positions |
|----|---|-------|-----------|
| | Was he/she working within last two weeks not counting work around the house? | | 69 |
| | Even though he/she did not work, does he/she have | | 70 |
| | a job or business? | • • | 70 |
| | Was he/she looking for work or on layoff from a job? | - • | 71 |
| | Which - looking for work or on layoff from a job? | • • , | 72 |
| | What kind of industry or business is this? | | 73- 75 |
| | What kind of work was he/she doing? | • • • | 76- 78 |
| | Was he/she in private company or business or working for | | =0 |
| | individual for wages, salary, or commission? | | 79 |
| | Did he/she ever serve in the armed forces of the U.S.? | | 80 |
| | When did he/she serve? | | 81 |
| | Unused position(s) | 8 | 32- 90 |
| c. | Household Data | | |
| | How many rooms are in this? Count the kitchen, | | |
| | but not the bath | | 91 |
| | How many bedrooms are in this? | | 92 |
| | Do you have complete kitchen facilities in your living quarters, that is a kitchen sink with piped water, a | | |
| | refrigerator and a range or cookstove? (Asked only of | | |
| | unrelated household members.) | | 93 |
| | Do you have access to complete kitchen facilities in | | |
| | this house? | | 94 |
| | Do you have access to a range or cookstove? | | 95 |
| | Do you have access to a refrigerator? | | 96 |
| | Do you have access to a sink with piped water? | | 97 |
| | Is there piped water in this house (these living | | |
| | quarters)? | | 98 |
| | Is there both hot and cold water? | | 99 |
| | Are these kitchen facilities used by anyone not | | |
| | living in this household? | | 100 |
| | What is the main type of heating system you have? | 10 | |
| | Do you have air conditioning? | | ·103 |
| | How many motor vehicles are owned or regularly used | | |
| | for transportation by members of your family? | | 104 |
| | Is any language other than English spoken by family | | |
| | members living here? | | 105 |
| | What language? | | 106 |
| | Which of these income groups represents your total | _ | |
| | combined family income for the past 12 months? | 10 | 07-108 |

Demographic Section (Cont.)

| Household Data (Cont.) | Tape Positions |
|--|----------------|
| During the past 12 months, how much money did you and all members of your family receive in wages or salaries before deductions (under \$7,000 | |
| only)? | 109-112 |
| only)?Social security or railroad retirement? | 113 |
| Unused position(s) | 114 |
| Unused position(s) | 115-118 |
| Welfare payments or other public assistance? | 119 |
| Unused position(s) | |
| If yes, how much? | 121-124 |
| Unemployment compensation or workmen's compensation? | |
| Unused position(s) | |
| If yes, how much? | 127-130 |
| Government employee pension or private pensions? | |
| Unused position(s) | 132 |
| If yes, how much? | 133-136 |
| Dividends, interest or rent? | 137 |
| Unused position(s) | 138 |
| Unused position(s) | 139-142 |
| Net income from their own business (nonfarm), | 133 172 |
| professional practice, or partnership? | 143 |
| Unused position(s) | 144 |
| If yes how much? | 145-148 |
| Unused position(s) | 149 |
| Unused position(s) | 150 |
| If yes, how much? | 151-154 |
| Veteran's payments? | 155 |
| Unused position(s) | 156 |
| Unused position(s) | 157-160 |
| Alimony, child support or other support from | 10, 100 |
| persons not in household? | 161 |
| Unused position(s) | 162 |
| If yes, how much? | 163-166 |
| Any other income? | 167 |
| Unused position(s) | 168 |
| If yes, how much? | |
| Total amount | 173-176 |
| Check Item B - Food stamps available | 175 176 |
| Are you certified to participate in the food | 111 |
| | 178 |
| stamp program? Are you buying food stamps now? | 179 |
| What is the main reason you are not participating | 113 |
| in the program? | 180 |
| Are you certified for commodity distribution program? | 181 |
| , | |

Demographic Section (Cont.)

| | Household Data (Cont.) | Tape Positions |
|----|---|--|
| | Are you receiving commodity foods now for your family? Why aren't you participating in the program? Date of exam Age in years (at examination) Unused position(s) Race-sex recode for sample persons. Farm, nonfarm recode for sample person. Interview status. Region Poverty index Unused position(s). | 183 184-189 190-191 192-205 206 207 208 209 210-212 |
| d. | Head of Household Data | |
| | Age in years Unused position(s). Date of birth-month. Date of birth-year Sex. Race. In what State was he/she born?. Is he/she married, widowed, divorced, separated or never married?. National origin or ancestry? Education level. Grade completed. What was he/she doing most of the past 12 months? What was he/she work at job or business during past three months? Did he/she work full or part-time when working? Did he/she work at any time the last two weeks | 249-250 251-252 253-254 255 256 257-258 259 260-261 262-263 264 265 265 |
| | not counting work around the house? Even though he/she did not work, does he/she have a job or business? Was he/she looking for work or on layoff from a job? Which - looking for work or on layoff from a job? Type of industry or business. What kind of work was he/she doing? Was he/she in private company or business or working for individual for wages, salary, or commission? Did he/she ever serve in the armed forces of the U.S.? When did he/she serve? | 270 271 272 273-275 276-278 279 280 |

| 2. | Sample Weight Section | Tape | Positions |
|----|--|------|--|
| | Examined final weight | | 282-287 288-293 |
| | weight. Lead final examined weight. Carboxyhemoglobin final examined weight. Bile acids final examined weight. Unused position(s). Strata code. Pseudo PSU code. Poverty Non-Poverty Segments. Unused position(s). | | 294-299 300-305 306-311 312-317 318-323 324-325 326 327 328-400 |
| 3. | Health History Data Section | | |
| | Catalog Number Unused position(s). Check Item I. Cardiovascular Conditions (Asked if age 25 or older). Back, Neck, and Joints (Asked if age 25 or older). Mononucleosis. Yellow Jaundice. Hernia. Contact with Carbon Tetrachloride. Exposure to Pesticides. Smoking (Asked if ages 12-17). Kidney and Bladder Disease. Activity Limitation. Check Item III. Menstrual and Pregnancy History for Females. Blood Pressure. Unused position. Dummy Record. | | 401-404 405-413 414 415-482 483-691 692 693-699 700 701 702-710 711-722 723-750 751-767 768 769-790 791-808 809 810 |

C. USE OF SPECIAL TERMS

The term "unused positions" refers to blank areas in the data.

The term "blank, but applicable", is used to indicate a data item that was to have a response for a sample person but for which no usable data were provided. This includes unanswered data fields, as well as those containing impossible entries: i.e., out-of-range or inconsistent with other entries. The term "blank" refers to data items where the sample person was not supposed to respond to the question.

All health history data items were coded as "blank" for sample persons for whom no Health History Questionnaire was received (see detailed note for tape position 810, which refers to these "dummy records").

To understand more fully the questionnaire skip patterns and the categorizations used, see <u>Plan and Operation of the Second National Health and Nutrition Examination Survey</u>, included with this documentation.⁸ All the questionnaires are included in that publication.

D. TAPE DESCRIPTION

1. DEMOGRAPHIC DATA

| ,,,, , , , , , , , , , , , , , , , , , | CONTROL COUNTS |
|---|--|
| RESIDENCE DATA IN POSITIONS 001-034 | |
| POS. 001-005 SAMPLE SEQUENCE NUMBER | |
| 00058-27796 | 14,479 |
| POS. 006-009 CATALOG NUMBER | |
| 5371 | 14,479 |
| POS. 010 UNUSED POSITION | |
| POS. 011 SIZE OF PLACE. (SEE DETAILED NOTE) | |
| 1=URBANIZED AREA WITH 3,000,000 OR MORE | 1,847 1,784 1,309 701 682 1,144 |
| POS. 012 SMSA-NOT SMSA (SEE DETAILED NOTE) | |
| 1=IN SMSA, IN CENTRAL CITY | 4,062 |
| POS. 013-023 UNUSED POSITIONS | |
| POS. 024 TYPE OF LIVING QUARTERS (QUES. 7) | |
| 1=HOUSING UNIT | 14,299 180 |

| ~_ | | |
|------|---|-------------------|
| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL COUNTS |
| POS. | 025 LAND USAGE (QUES. 9) | |
| | 1 = URBAN | |
| POS. | 026 IF RURAL, ASKED DOES THIS PLACE HAVE 10 ACRES OR MORE? (QUES. 11A) | |
| | 1=YES 2=NO | . 3,995 |
| POS. | 027 IF 10 ACRES OR MORE, ASKED IF IN THE PAST 12 MONTHS DID SALES OF FARM PRODUCTS AMOUNT TO \$50 OR MORE? (QUES. 11B) | |
| | 1=YES 2=NO 9=NOT APPLICABLE | . 485 |
| POS. | 028 IF LESS THAN 10 ACRES, ASKED IF IN THE PAST 12 MONTHS DID SALES OF FARM PRODUCTS AMOUNT TO \$250 OR MORE? (QUES. 11C) | |
| | 1=YES 2=NO 9=NOT APPLICABLE | . 3,867 |
| POS. | 029 UNUSED POSITION | |
| POS. | 030-031 TOTAL NUMBER OF PERSONS IN HOUSEHOLD | |
| | 01-15 AS GIVEN | . 14,479 |
| POS. | 032-033 TOTAL NUMBER OF SAMPLE PERSONS IN FAMILY | |
| | 01-06 AS GIVEN | . 14,479 |
| POS. | 034 UNUSED POSITION | |

TAPE POSITION, ITEM DESCRIPTION, CODES CONTROL CONTINUED COUNTS

SAMPLE PERSON DATA IN POSITIONS 035-081

| POS. | 035 FAMILY RELATIONSHIP |
|------|---|
| | 1=HEAD, ONE PERSON LIVING ALONE OR WITH NON-RELATIVES 2,185 2=HEAD, TWO OR MORE RELATED PERSONS IN FAMILY 4,969 3=WIFE 3,869 4=CHILD 2,947 5=OTHER RELATIVE 486 6=FOSTER CHILD 15 7=HUSBAND 8 |
| POS. | 036 EXAMINATION STATUS |
| | 1=EXAMINED |
| POS. | 037-041 FAMILY UNIT SEQUENCE NUMBER (SEE DETAILED NOTE) |
| | 00001-21051 AS GIVEN |
| POS. | 042-044 UNUSED POSITIONS |
| POS. | 045-046 AGE-MONTHS AT INTERVIEW (QUES. 3) |
| | BLANK IF GREATER THAN 11 MONTHS 14,479 |
| POS. | 047-048 AGE-YEARS AT INTERVIEW (QUES. 3) |
| | 12-74 YEARS 14,479 |
| POS. | 049-050 UNUSED POSITIONS |
| POS. | 051-052 DATE OF BIRTH-MONTH (QUES. 2) |
| | 01-12 MONTH 14,479 |

| | · · · · · · · · · · · · · · · · · · · | CONTROL |
|------|---|---------------------------------------|
| POS. | 053-054 DATE OF BIRTH-YEAR (QUES. 2) | |
| | .01-67 YEAR | 14,479 |
| POS. | 055 SEX (QUES. 4) | |
| | 1 = MALE | |
| POS. | 056 RACE (QUES. 5) (SEE DETAILED NOTE) | |
| | 1 = WHITE | 1,752 |
| POS. | 057-058 IN WHAT STATE WAS HE/SHE BORN? (QUES. 6) (SEE DETAILED NOTE) | |
| | 01-9788=BLANK, BUT APPPLICABLE | |
| POS. | 059 IS HE/SHE NOW MARRIED, WIDOWED, SEPARATED, OR NEVER MARRIED? (QUES. 7) | |
| | 1=UNDER 17 2=MARRIED 3=WIDOWED 4=DIVORCED 5=SEPARATED 6=NEVER MARRIED 8=BLANK, BUT APPLICABLE | 8,196 1,151 658 332 2,437 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL |
|------|---|---|
| POS. | 060-061 NATIONAL ORIGIN OR ANCESTRY (QUES. 8) | |
| | O1=COUNTRIES OF CENTRAL OR SOUTH AMERICA. O2=CHICANO. O3=CUBAN. O4=MEXICAN. O5=MEXICANO. O6=MEXICAN-AMERICAN. O7=PUERTO RICAN. O8=OTHER SPANISH. O9=OTHER EUROPEAN, SUCH AS GERMAN, FRENCH, ENGLISH, IRISH. 10=BLACK, NEGRO OR AFRO-AMERICAN. 11=AMERICAN INDIAN OR ALASKAN NATIVE. 12=ASIAN OR PACIFIC ISLANDER SUCH AS CHINESE, JAPANESE, KOREAN, PHILIPPINO, SAMOAN. 13=ANOTHER GROUP NOT LISTED. 88=BLANK, BUT APPLICABLE. | 17 77 148 46 203 117 66 10,580 1,693 178 |
| POS. | 062-063 WHAT WAS THE HIGHEST GRADE OR YEAR OF SCHOOL HE/SHE HAS EVER ATTENDED (QUES. 9A) | |
| | OO=NONE (REGARDLESS OF AGE) 21-28=ELEMENTARY GRADES (1-8) 31-34=HIGH SCHOOL (1-4) 41-45=COLLEGE (1-5+) 88=BLANK, BUT APPLICABLE | 3,229 7,294 3,719 |
| POS. | 064 DID HE/SHE FINISH THE GRADE YEAR? (QUES. 9B) | |
| | 1=YES 2=NO 8=BLANK, BUT APPLICABLE | 4,254 264 |
| POS. | 065 WHAT WAS HE/SHE DOING DURING MOST OF THE PAST 12 MONTHS? (QUES. 10A) | |
| | 1=WORKING | 3,372 2,721 51 |

| | | | | CONTROL COUNTS |
|--------------------------------------|--|------------------------------------|---|---|
| POS. 0 | 66 WHAT | WAS HE/SHE | DOING? (QUES. 10B) | |
| 2 3 4 5 6 7 8 0 | =RETIRED =STUDENT =ILL =STAYING =LOOKING =UNABLE =BLANK, =OTHER | HOME FOR WORK TO WORK BUT APPLICAB | LE | 1,179 . 966 . 61 . 96 . 98 . 225 . 51 |
| POS. 0 | | | AT A JOB OR BUSINESS AT ANY TIME THREE MONTHS? (QUES. 10C) | |
| 2 | =NO =BLANK, | BUT APPLICAB | LE | . 4,998 . 51 |
| POS. 0 | | | WORKING, DID HE/SHE USUALLY WORK ME? (QUES. 10D) | |
| 2 8 | =PART TI | ME | LE | . 1,574 . 51 |
| POS. O | BEFO | | AT ANY TIME LAST WEEK OR THE WEEK ING WORK AROUND THE HOUSE? | |
| 2 | =NO =BLANK, | BUT APPLICAB | | . 873 . 51 |
| POS. O | | | HE DID NOT WORK DURING THAT TIME, A JOB OR BUSINESS? (QUES. 11B) | |
| 2 | =NO =BLANK, | BUT APPLICAB | | . 5,484 . 51 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL COUNTS |
|------|--|---|
| POS. | 071 WAS HE/SHE LOOKING FOR WORK OR ON LAYOFF FROM A JOB? (QUES. 11C) | |
| | 1=YES | 5,325 51 |
| POS. | 072 WHICH-LOOKING FOR WORK OR ON LAYOFF FROM A JOB? (QUES. 11D) | |
| | 1=LOOKING | . 91 . 31 . 51 |
| POS. | 073-075 WHAT KIND OF INDUSTRY OR BUSINESS IS THIS? (QUES. 12B) (SEE DETAILED NOTE) | |
| | 017-998 (LAST DIGIT 7,8,9) | 118 |
| POS. | 076-078 WHAT KIND OF WORK WAS HE/SHE DOING? (QUES. 12C) (SEE DETAILED NOTE) | |
| | 001-992=OCCUPATION (LAST DIGIT 0-6) | 129 |
| POS. | 079 WAS HE/SHE AN EMPLOYEE OF A PRIVATE COMPANY, BUSINESS, OR INDIVIDUAL FOR WAGES, SALARY, OR COMMISSION? (QUES. 12E) | |
| | 1=PRIVATE 2=A FEDERAL GOVT EMPLOYEE 3=A STATE GOVT EMPLOYEE 4=A LOCAL GOVT EMPLOYEE 5=INCORPORATED-OWN 6=SELF EMPLOYED (OR FARM) 7=WORKING WITHOUT PAY IN FAMILY BUSINESS OR FARM 8=NEVER WORKED 0=BLANK, BUT APPLICABLE BLANK | 277 443 647 139 775 61 38 78 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CULINIE |
|------|--|---|
| POS. | 080 DID HE/SHE EVER SERVE IN THE ARMED FORCES OF THE UNITED STATES? (QUES. 13A) | |
| | 1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK | . 10,336 |
| POS. | 081 WHEN DID HE/SHE SERVE? (QUES. 13B) | |
| | 1 = VIETNAM. 2 = KOREAN WAR. 3 = WORLD WAR II. 4 = WORLD WAR I. 5 = POST VIETNAM. 6 = OTHER SERVICE. 8 = BLANK, BUT APPLICABLE. 9 = DO NO KNOW. BLANK. | . 283 . 1,101 . 3 . 10 . 271 . 232 |
| POS. | 082-090 UNUSED POSITIONS | |
| | HOUSEHOLD DATA IN POSITIONS 091-212 | |
| POS. | 091 HOW MANY ROOMS ARE IN THIS? COUNT THE KITCHEN, BUT NOT THE BATHROOM. (QUES. 14A) | |
| | 1-8 ROOMS | |
| POS. | 092 HOW MANY BEDROOMS ARE IN THIS? (QUES. 14B) | |
| | 0-7 BEDROOMS - MORE THAN 7 BEDROOMS CODED AS 7 | . 14,479 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL |
|------|--|-------------|
| POS: | O93 ASKED ONLY OF UNRELATED HOUSEHOLD MEMBERS. DO YOU HAVE COMPLETE KITCHEN FACILITIES IN YOUR LIVING QUARTERS, THAT IS, A KITCHEN SINK WITH PIPED WATER, A REFRIGERATOR AND A RANGE OR COOKSTOVE? (QUES. 14C) | |
| | 1=YES | . 175 |
| POS. | 094 DO YOU (HAVE/HAVE ACCESS TO) COMPLETE KITCHEN FACILITIES IN THIS HOUSE, THAT IS, A KITHCEN SINK WITH PIPED WATER, A REFIGERATOR AND A RANGE OR COOKSTOVE? (QUES. 15A) | |
| | 1=YES | . 233 56 |
| POS. | 095 DO YOU (HAVE/HAVE ACCESS TO) A RANGE OR COOKSTOVE? (QUES. 15B) | |
| | 1=YES | 106 56 |
| POS. | 096 DO YOU (HAVE/HAVE ACCESS TO) A REFRIGERATOR? (QUES. 15B) | |
| | 1=YES 2=NO 8=BLANK, BUT APPLICABLE | 77 |
| POS. | 097 DO YOU (HAVE/HAVE ACCESS TO) A SINK WITH PIPED WATER (QUES. 15B) | ?? |
| | 1=YES | 138 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL |
|------|--|------------------|
| POS. | 098 IS THERE PIPED WATER IN THIS HOUSE (THESE LIVING QUARTERS)? (QUES. 15C) | |
| | 1=YES | . 113 . 56 |
| POS. | 099 IS THERE BOTH HOT AND COLD WATER? (QUES. 15D) | |
| | 1=YES | . 8 . 56 |
| POS. | 100 ARE THESE KITCHEN FACILITIES USED BY ANYONE NOT LIVING IN THIS HOUSEHOLD? (QUES. 15E) | |
| | 1=YES | . 13,823 . 56 |
| POS. | 101-102 WHAT IS THE MAIN TYPE OF HEATING SYSTEM YOU HAVE? (QUES. 16) | |
| | 11=STEAM OR HOT WATER SYSTEM | . 2,341 |
| | ROOM OR CENTRAL HEAT PUMP (FORCED AIR) | |
| | WALL, CEILING, OR BASEBOARD) | |
| | 15=CIRCULATING, RADIANT OR ROOM HEATERS, WITH FLUE OR VENT, BURNING GAS, OIL OR KEROSENE | |
| | 16=CIRCULATING, RADIANT, OR ROOM HEATERS (NOT PORTABLE) | - |
| | WITHOUT FLUE OR VENT BURNING GAS, OIL, OR KEROSENE 17=FIREPLACE OR STOVES BURNING COAL, WOOD, OR COKE | |
| | 18=PORTABLE ROOM HEATERS OF ANY KIND | . 285 |
| | 19=SOME OTHER TYPE | . 187 |

| | the state of the s | CONTROL |
|------|--|---|
| POS. | 103 DO YOU HAVE AIR CONDITIONING? (QUES. 17) 1=YES, INDIVIDUAL ROOM UNIT | . 2,704 . 7,261 |
| POS. | 104 HOW MANY MOTOR VEHICLES ARE OWNED OR REGULARLY USED FOR TRANSPORTATION BY MEMBERS OF YOUR FAMILY? (QUES. 18) | |
| | O=NONE | . 12,787 |
| POS. | 105 IS ANY LANGUAGE OTHER THAN ENGLISH FREQUENTLY SPOKEN BY FAMILY MEMBERS LIVING HERE? (QUES. 19A) | |
| | 1=YES 2=NO 8=BLANK, BUT APPLICABLE | 12,995 |
| POS. | 106 WHAT LANGUAGE(S)? (QUES. 19B) | |
| | O=GERMAN. 1=ITALIAN. 2=FRENCH. 3=POLISH. 4=RUSSIAN. 5=SPANISH. 6=CHINESE. 7=OTHER LANGUAGE. 8=BLANK, BUT APPLICABLE. 9=NOT APPLICABLE. | 93 185 50 18 672 34 280 78 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL COUNTS |
|------|--|---|
| POS. | 107-108 WHICH OF THESE-INCOME GROUPS REPRESENTS YOUR TOTAL COMBINED FAMILY INCOME FOR THE PAST 12 MONTHS? (QUES. 20) (SEE DETAILED NOTE) | |
| | 11= UNDER \$ 1,000 12=\$ 1,000-\$ 1,999 13=\$ 2,000-\$ 2,999 14=\$ 3,000-\$ 3,999 15=\$ 4,000-\$ 4,999 16=\$ 5,000-\$ 5,999 17=\$ 6,000-\$ 6,999 18=\$ 7,000-\$ 9,999 19=\$10,000-\$14,999 20=\$15,000-\$19,999 21=\$20,000-\$24,999 22=\$25,000 AND OVER 88=BLANK, BUT APPLICABLE | 288 . 557 . 621 . 599 . 538 . 406 . 2,556 . 2,735 . 2,109 . 1,471 . 1,847 |
| POS. | 109-112 DURING THE PAST 12 MONTHS, HOW MUCH MONEY DID YOU AND ALL MEMBERS OF YOUR FAMILY RECEIVE IN WAGES OR SALARIES BEFORE DEDUCTIONS? (QUES. 21) | |
| | 0000-6968=AMOUNT | . 711 |
| POS. | 113 SOCIAL SECURITY OR RAILROAD RETIREMENT? (QUES. 22A) | |
| | 1=YES | . 1,635 . 503 |
| POS. | 114 UNUSED POSITION | |
| POS. | 115-118 IF YES, HOW MUCH? | |
| | 0038-6828=AMOUNT | . 583 |

| | | CONTROL COUNTS |
|------|---|-------------------|
| POS. | 119 WELFARE PAYMENTS OR OTHER PUBLIC ASSISTANCE? (QUES. 22B) | |
| | 1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK | . 2,604 . 497 |
| POS. | 120 UNUSED POSITION | |
| POS. | 121-124 IF YES, HOW MUCH? | |
| | 0012-6780=AMOUNT8888=BLANK, BUT APPLICABLEBLANK | . 523 |
| POS. | 125 UNEMPLOYMENT COMPENSATION OR WORKMEN'S COMPENSATION (QUES. 22C) | |
| | 1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK | 3,058 496 |
| POS. | 126 UNUSED POSITION | |
| POS. | 127-130 IF YES, HOW MUCH? | |
| | 0015-5640=AMOUNT | . 527 |
| POS. | 131 GOVERNMENT EMPLOYEE PENSION OR PRIVATE PENSIONS? (QUES. 22D) | |
| | 1=YES | 3,010 499 |

| | | CONTROL |
|------|--|--------------------|
| POS. | 132 UNUSED POSITION | |
| POS. | 133-136 IF YES, HOW MUCH? | |
| | 0036-6000=AMOUNT | . 520 |
| POS. | 137 DIVIDENDS, INTEREST, OR RENT? (QUES. 22E) | |
| | 1=YES | 2,815 505 |
| POS. | 138 UNUSED POSITION | |
| POS. | 139-142 IF YES, HOW MUCH? | |
| | 0001-5200=AMOUNT | 540 |
| POS. | 143 NET INCOME FROM THEIR OWN NONFARM BUSINESS, PROFESSIONAL PRACTICE, OR PARTNERSHIP? (QUES. 22F) | |
| | 1=YES | 3,120 13 503 |
| POS. | 144 UNUSED POSITION | |
| POS. | 145-148 IF YES, HOW MUCH? | |
| | 0001-6500=AMOUNT | 530 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL |
|------|--|--------------------|
| POS. | 149 NET INCOME FROM A FARM? (QUES. 22G) | |
| | 1=YES | 3,127 25 505 |
| POS. | 150 UNUSED POSITION | |
| POS. | 151-154 IF YES, HOW MUCH? | |
| | 0000-6500=AMOUNT | 530 |
| POS. | 155 VETERAN'S PAYMENTS? (QUES. 22H) | |
| | 1=YES | 3,053 499 |
| POS. | 156 UNUSED POSITION | |
| POS. | 157-160 IF YES, HOW MUCH? | |
| | 0006-6000=AMOUNT | 511 |
| POS. | 161 ALIMONY, CHILD SUPPORT, OR CONTRIBUTIONS FROM PERSONS NOT LIVING IN HOUSEHOLD? (QUES. 221) | |
| | 1=YES | 3,057 500 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL |
|------|---|-----------------|
| POS. | 162 UNUSED POSITION | |
| POS. | 163-166 IF YES, HOW MUCH? | |
| | 0020-6900=AMOUNT | 512 |
| POS. | 167 ANY OTHER INCOME? (QUES. 22J) | |
| | 1=YES 2=NO 8=BLANK, BUT APPLICABLE BLANK | 3,094 500 |
| POS. | 168 UNUSED POSITION | |
| POS. | 169-172 IF YES, HOW MUCH? | |
| | 0003-6403=AMOUNT | 508 |
| POS. | 173-176 TOTAL AMOUNT (QUES. 21 & 22) | |
| | 0000-6994=AMOUNT8888=BLANK, BUT APPLICABLEBLANK | 850 |
| POS. | 177 CHECK ITEM B | |
| | 2=FOOD STAMPS AVAILABLE | |
| POS. | 178 ARE YOU CERTIFIED TO PARTICIPATE IN THE FOOD STAMP PROGRAM? (QUES. 23A) | |
| | 1=YES 2=NO 8=BLANK, BUT APPLICABLE 9=DON'T KNOW | . 12,481 . 3 |

| | - · - · - · - · - · - · - · · - · · · · | CONTROL |
|------|--|-------------------------------|
| POS. | 179 ARE YOU BUYING FOOD STAMPS NOW? (QUES. 23B) | |
| | 1=YES, REGULARLY | . 56 . 271 . 22 |
| POS. | 180 WHAT IS THE MAIN REASON YOU AREN'T PARTICIPATING IN THE PROGRAM? (QUES. 23C) | |
| | 1=NO NEED | . 61 . 10 . 18 . 121 |
| POS. | 181 ARE YOU CERTIFIED FOR THE COMMODITY DISTRIBUTION PROGRAM? (QUES. 24A) | |
| | 1=YES | . 156 . 10 |
| POS. | 182 ARE YOU RECEIVING COMMODITY FOODS NOW FOR YOUR FAMILY? (QUES. 24B) | |
| | 3=NO | - |
| POS. | 183 WHY AREN'T YOU PARTICIPATING IN THE PROGRAM? (QUES. 24C) | |
| | 1=NO NEED | . 3 |
| POS. | 184-185 CONTROL RECORD - DATE OF EXAM MONTH | |
| | 01-12 | 14,479 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL |
|-------|--|----------|
| POS. | 186-187 CONTROL RECORD - DATE OF EXAM DAY | |
| | _01-31 | . 14,479 |
| POS. | 188-189 CONTROL RECORD - DATE OF EXAM YEAR | |
| | 76-80 | . 14,479 |
| POS. | 190-191 AGE IN YEARS (AT EXAMINATION) | |
| | 12-75 YEARS | . 14,479 |
| POS. | 192-205 UNUSED POSITIONS | |
| PO'S. | 206 RACE SEX RECODE FOR SAMPLE PERSON (SEE DETAILED NOTE FOR POS. 056) | |
| | 1=MALE, WHITE | |
| | 3=MALE, OTHER | |
| | 5=FEMALE, BLACK | . 946 |
| POS. | 207 FARM, NON-FARM RECODE FOR SAMPLE PERSON (SEE DETAILED NOTE) | |
| | 1 = FARM | |
| POS. | 208 INTERVIEW STATUS | |
| | 1=INTERVIEWED | . 14,479 |
| POS. | 209 REGION (SEE DETAILED NOTE) | |
| | 1=NORTHEAST | • |
| | 3=SOUTH | . 3,890 |

| TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED COUR | NTS |
|---|---------------------|
| POS. 210-212 POVERTY INDEX (X.XX) (SEE DETAILED NOTE) | |
| .001-880 (AS GIVEN) | ,899 580 |
| POS. 213-246 UNUSED POSITIONS | |
| HEAD OF HOUSEHOLD DATA IN POSITIONS 247-281 | |
| POS. 247-248 AGE YEARS AT INTERVIEW (QUES. 3) | |
| 15-99 YEARS (100 OR MORE CODED AS 99) | ,479 |
| POS. 249-250 UNUSED POSITIONS POS. 251-252 DATE OF BIRTH-MONTH (QUES. 2) | |
| 01-12 MONTH | |
| POS. 253-254 DATE OF BIRTH-YEAR | |
| 00-99 YEAR 14 88=BLANK, BUT APPLICABLE 14 | ,463 16 |
| POS. 255 SEX (QUES. 4) | |
| 1=MALE | ,651 ,828 |
| POS. 256 RACE (QUES. 5) (SEE DETAILED NOTE FOR POS. 056) | |
| 1 = WHITE | ,446 ,754 279 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL COUNTS |
|------|---|---|
| POS. | 257-258 IN WHAT STATE WAS HE/SHE BORN? (QUES. 6) (SEE DETAILED NOTE FOR POS. 057-058) | |
| | 01-9788=BLANK, BUT APPLICABLE | |
| POS. | 259 IS HE/SHE NOW MARRIED, WIDOWED, DIVORCED, SEPARATED OR NEVER MARRIED? (QUES. 7) | , |
| | 1=UNDER 17 2=MARRIED 3=WIDOWED 4=DIVORCED 5=SEPARATED 6=NEVER MARRIED 7=BLANK, BUT APPLICABLE. | . 10,586 . 1,341 . 866 . 463 . 1,189 |
| POS. | 260-261 NATIONAL ORIGIN OR ANCESTRY? (QUES. 8) | |
| | O1=COUNTRIES OF CENTRAL OR SOUTH AMERICA O2=CHICANO O3=CUBAN O4=MEXICAN O5=MEXICANO O6=MEXICAN-AMERICAN O7=PUERTO RICAN O8=OTHER SPANISH O9=OTHER EUROPEAN, SUCH AS GERMAN, FRENCH, ENGLISH, IRISH 10=BLACK, NEGRO OR AFRO-AMERICAN 11=AMERICAN INDIAN OR ALASKAN NATIVE 12=ASIAN OR PACIFIC ISLANDER SUCH AS CHINESE, JAPANESE, KOREAN, PHILIPPINO, SAMOAN 13=ANOTHER GROUP NOT LISTED 88=BLANK, BUT APPLICABLE | 20 75 144 56 187 122 58 10,642 1,685 187 |
| POS. | 262-263 WHAT WAS THE HIGHEST GRADE OR YEAR OF SCHOOL HE/SHE HAS EVER ATTENDED (QUES. 9A) | |
| | OO=NONE (REGARDLESS OF AGE). 21-28=ELEMENTARY GRADES (1-8). 31-34=HIGH SCHOOL (1-4) | 3,182 6,719 4,320 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL |
|------|---|--|
| POS. | 264 DID HE/SHE FINISH THE GRADE YEAR? (QUES. 9B) | |
| | 1=YES | 3,340 301 |
| POS. | 265 WHAT WAS HE/SHE DOING MOST OF THE PAST 12 MONTHS? (QUES. 10A) | |
| | 1=WORKING | 1,269 3,285 45 |
| POS. | 266 WHAT WAS HE/SHE DOING? (QUES. 10B) | |
| | 1=LAYOFF 2=RETIRED 3=STUDENT 4=ILL 5=STAYING HOME 6=LOOKING FOR WORK 7=UNABLE TO WORK 8=BLANK, BUT APPLICABLE 0=OTHER BLANK | 2,097 388 112 91 93 374 45 76 |
| POS. | 267 DID HE/SHE WORK AT A JOB OR BUSINESS DURING THE PAST THREE MONTHS? (QUES. 10C) | |
| | 1=YES | 3,953 45 |
| POS. | 268 WHEN HE/SHE WAS WORKING, DID HE/SHE USUALLY WORK FULL OR PART TIME? (QUES. 10D) | |
| | 1=FULL TIME | 1,071 45 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL COUNTS |
|------|--|-----------------------|
| POS. | 269 DID HE/SHE WORK AT ANY TIME LAST WEEK OR THE WEEK BEFORE NOT COUNTING WORK AROUND THE HOUSE? (QUES. 11A) | |
| | 1=YES | . 833 . 45 |
| POS. | 270 EVEN THOUGH HE/SHE DID NOT WORK DURING THAT TIME DOES HE/SHE HAVE A JOB OR BUSINESS? (QUES. 11B) | |
| | 1 = YES | . 4,322 . 45 |
| POS. | 271 WAS HE/SHE LOOKING FOR WORK OR ON LAYOFF FROM A JOB? (QUES. 11C) | |
| | 1=YES | . 4,337 . 45 |
| POS. | 272 WHICH-LOOKING FOR WORK OR ON LAYOFF FROM A JOB? (QUES. 11D) | |
| | 1=LOOKING | . 111 . 32 . 45 |
| POS. | 273-275 WHAT KIND OF INDUSTRY OR BUSINESS IS THIS? (QUES. 12B) (SEE DETAILED NOTE) | |
| | 017-998 (LAST DIGIT 7,8,9) | . 170 |

| | TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL COUNTS |
|------|---|--|
| POS. | 276-278 WHAT KIND OF WORK WAS HE/SHE DOING? (QUES. 12C) (SEE DETAILED NOTE FOR POS. 73-75, 76-78) | |
| | 001-992=OCCUPATION (LAST DIGIT 0-6) | 179 |
| POS. | 279 WAS HE/SHE AN EMPLOYEE OF A PRIVATE COMPANY, BUSINESS, OR INDIVIDUAL FOR WAGES, SALARY, OR COMMISSION? (QUES. 12E) | |
| | 1=PRIVATE 2=A FEDERAL GOVT EMPLOYEE 3=A STATE GOVT EMPLOYEE 4=A LOCAL GOVT EMPLOYEE 5=INCORPORATED-OWN 6=SELF-EMPLOYED (OR FARM) BUSINESS, OR INDIVIDUAL FOR WAGES, SALARY, OR 8=NEVER WORKED 0=BLANK, BUT APPLICABLE BLANK | 470 554 758 278 1,354 |
| POS. | 280 DID HE/SHE EVER SERVE IN THE ARMED FORCES OF THE UNITED STATES? (QUES. 13A) 1=YES | 9,130 148 |
| POS. | 281 WHEN DID HE/SHE SERVE? (QUES. 13B) 1 = VIETNAM 2 = KOREAN WAR 3 = WORLD WAR II 4 = WORLD WAR I 5 = POST VIETNAM 6 = OTHER SERVICE 8 = BLANK, BUT APPLICABLE 9 = DO NOT KNOW BLANK | 989 2,295 47 83 704 148 62 |

TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED

CONTROL COUNTS

SAMPLE WEIGHT DATA, POSITIONS 282-317

(SEE DETAILED NOTE FOR POSITIONS 282-317)

| POS. | 282-287 EXAMINED FINAL WEIGHT | |
|------|--|------------|
| | 002000-079634 | 79 |
| POS. | 288-293 MEDICAL HISTORY INTERVIEW FINAL WEIGHT | |
| | 001468-071969 | 7 9 |
| POS. | 294-299 GLUCOSE TOLERANCE TEST FINAL EXAMINED WEIGHT | |
| | 003502-084477 | |
| POS. | 300-305 LEAD FINAL EXAMINED WEIGHT | |
| | 004398-084115 | |
| POS. | 306-311 CARBOXYHEMOGLOBIN FINAL EXAMINED WEIGHT | |
| | 003785-110759 | |
| POS. | 312-317 BILE ACIDS FINAL EXAMINED WEIGHT | |
| | 003519-087638 | |

| TAPE POSITION, ITEM DESCRIPTION, CODES CONTINUED | CONTROL |
|--|----------|
| | |
| POS. 318-323 UNUSED POSITIONS | |
| POS. 324-325 STRATA | |
| | |
| 01-32 | . 14,479 |
| POS. 326 PSEUDO PRIMARY SAMPLING UNITS | |
| | |
| 1 OR 2 | . 14,479 |
| POS. 327 POVERTY/NON-POVERTY SEGMENTS (SEE DETAILED NOTE) | |
| ros. 527 Fovekity Non-Povekit Segments (See Detailed Note) | |
| 1=NON-POVERTY | 7.050 |
| 2=POVERTY | |
| | |
| POS. 328-400 UNUSED POSITIONS | |
| | |

D. TAPE DESCRIPTION (CONTINUED)

2. HEALTH HISTORY DATA

NATIONAL HEALTH AND NUTRITION EXAMINATION SURVEY

(NHANES II - 1976-1980)

HEALTH HISTORY SUPPLEMENT, AGES 12-74 YEARS

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | _ |
|-------------------|---|-------------------------|--|------|
| 401-404 | CATALOG NUMBER: 5305 | | Health History Supplement Ages 12-74 | -38- |
| 405-413 | Unused Positions | 14,479 | | |
| 414 | Check Item I | | | |
| | 1 - 25 or over 2 - Under 25 Blank | 10,404 4,007 68 | | |
| 415 | Have you ever had any trouble with pain, discomfort or pressure in your chest when you walk fast or uphill? | | Question 1a. | |
| | 1 - Yes 2 - No Blank | 1,223 9,181 4,075 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|-----------------------------|-----------------------------------|------|
| | Would you describe this pain as any of the following? | | Question 1b. | |
| 416 | Heaviness | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 516 703 4 13,256 | | |
| 417 | Burning sensation | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 165 1,054 4 13,256 | | -39- |
| 418 | Tightness | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 628 591 4 13,256 | | |
| 419 | Stabbing pain | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 255 964 4 13,256 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|--|-----------------------------|-----------------------------------|
| | Would you describe this pain as any of the following? | | Question 1b. Continued |
| 420 | Pressure | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 613 606 4 13,256 | |
| 421 | Sharp pain | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 384 835 4 13,256 | |
| 422 | Shooting pains | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 226 993 4 13,256 | |
| 423 | Have you had the pain or discomfort more than THREE times? | | Question 1c. |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,036 182 5 13,256 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|--|-----------------------------------|------|
| 424 | Have you been bothered by the pain or discomfort within the past 12 months? | | Question 1d. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 943 278 2 13,256 | | |
| 425 | How old were you when you first had the pain or discomfort? | | Question 1e. | |
| | <pre>1 - Under 10 years 2 - 10-19 years 3 - 20-29 years 4 - 30-39 years 5 - 40-49 years 6 - 50-59 years 7 - 60 years or older 8 - Blank, but applicable Blank</pre> | 22 76 140 178 218 313 271 5 | | -41- |
| 426 | Do you get the pain or discomfort if you walk at an ordinary pace on level ground? | | Question 1f. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 329 886 8 13,256 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|------------------------------|-----------------------------------|------|
| | If you get the pain or discomfort while walking do you - | , | Question 1g. | · - |
| 427 | Stop? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 628 574 21 13,256 | | |
| 428 | Slow down? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 680 521 22 13,256 | | -42- |
| 429 | Continue at the same pace? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 111 1,090 22 13,256 | | |
| 430 | Take medicine? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 238 963 22 13,256 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|------------------------------|-----------------------------------|-----|
| 431 | If you do stop or slow down, is the pain or discomfort relieved or not? | | Question 1h. | |
| | 1 - Relieved2 - Not relieved8 - Blank, but applicableBlank | 1,074 110 39 13,256 | | |
| 432 | How soon is the pain relieved? | | Question 1i. | |
| | 1 - Less than 10 minutes 2 - 10 minutes or more 8 - Blank, but applicable Blank | 758 304 51 13,366 | | , |
| | When you get pain or discomfort where is it located? Is it in the - | | Question 1j. | 43- |
| 433 | Upper middle chest? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 768 434 21 13,256 | | |
| 434 | Lower middle chest? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 296 905 22 13,256 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|------------------------------|-----------------------------------|
| | When you get pain or discomfort where is it located? Is it in the - | | Question 1j. Continued |
| 435 | Left side of chest? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 376 825 22 13,256 | |
| 436 | Left arm? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 149 1,052 22 13,256 | -44- |
| 437 | Right side of chest? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 110 1,091 22 13,256 | |
| 438 | Some other place? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 94 1,107 22 13,256 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|----------------------------|-----------------------------------|------|
| | Do any of the following things tend to bring the pain or discomfort on? | | Question 1k. | |
| 439 | Excitement or emotion? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 531 670 22 13,256 | | |
| 440 | Stooping over? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 326 874 23 13,256 | | -45- |
| 441 | Eating a heavy meal? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 328 872 23 13,256 | | |
| 442 | Coughing spells? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 341 859 23 13,256 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|---------------------------------------|-----------------------------------|
| | Do any of the following things tend to bring the pain or discomfort on? | | Question 1k. Continued |
| 443 | Cold wind? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 482 717 24 13,256 | |
| 444 | Exertion? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 951 248 24 13,256 | -46- |
| 445 | Have you ever had severe pain across the front of your chest lasting for half an hour or more? | | Question 2a. |
| | 1 - Yes 2 - No Blank | 676 9,728 4,075 | |
| 446 | How many of these attacks of pain have you had? | | Question 2b. |
| | 1 - One 2 - Two 3 - Three 4 - Four or more 8 - Blank, but applicable Blank | 226 92 74 283 1 13,803 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DA'TA SOURCE OR NOTES | - |
|-------------------|--|--|------------------------------------|---|
| | What was the date of your last attack? | | Question 2c. | - |
| 447-448 | 01-12 - Month as given 88 - Blank, but applicable Blank | 628 48 13,803 | | |
| 449-450 | 30-80 - Year as given 88 - Blank, but applicable Blank | 656 20 13,803 | | |
| 451 | What was the duration of the pain during your last attack? | | Question 2d. | |
| | <pre>1 - 30-59 minutes 2 - 1-2 hours 3 - 3-5 hours 4 - 6-11 hours 5 - 12-23 hours 6 - 24-47 hours 7 - 2 days or more 8 - Blank, but applicable Blank</pre> | 293 152 73 32 11 28 75 12 13,803 | -47- | |
| 452 | Did you see a doctor about this last attack? | | Question 2e. | |
| | 1 - Yes 2 - No Blank | 422 254 13,803 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|--|---------------------|---|
| 453 | What did he say it was? Rheumatic fever (Active) 1 - Yes 8 - Blank, but applicable Blank | 1 71 14,407 | Question 2f. See Detailed Notes for list of codes (Note: A 9th catchall category for "other chest pain - not cardiovascular" has been added to the 8 categories referenced on |
| 454 | Chronic rheumatic heart disease 1 - Yes 8 - Blank, but applicable Blank | 4 71 14,404 | the interview form.) |
| 455 | Hypertension 1 - Yes 8 - Blank, but applicable Blank | 8 71 14,400 | -48- |
| 456 | Ischemic heart disease 1 - Yes 8 - Blank, but applicable Blank | 194 71 14,214 | |
| 457 | Other forms of heart disease 1 - Yes 8 - Blank, but applicable Blank | 42 71 14,366 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|---------------------|-----------------------------------|
| | What did he say it was? | | Question 2f. Continued |
| 458 | Cerebrovascular disease | | |
| | 1 - Yes 8 - Blank, but applicable Blank | 10 71 14,398 | |
| 459 | Arteriosclerosis | | |
| | 1 - Yes 8 - Blank, but applicable Blank | 5 71 14,403 | |
| 460 | Other diseases of the circulatory system | | -49- |
| | 1 - Yes 8 - Blank, but applicable Blank | 21 71 14,387 | |
| 461 | Other chest pain - not cardiovascular | | |
| | 1 - Yes 8 - Blank, but applicable Blank | 78 71 14,330 | |
| 462 | Have you ever seen a doctor about chest pains, chest discomfort or heart failure? | | Question 2g. |
| | 1 - Yes 2 - No Blank | 173 81 14,225 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|----------------------------------|-----------------------------------|------|
| | What type of doctor was it? Was it a- | | Question 2h. | |
| 463 | General Practitioner? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank | 358 202 12 23 13,884 | | |
| 464 | Internist? | | | |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank</pre> | 92 458 12 33 13,884 | | -50- |
| 465 | Osteopath? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank | 24 528 12 31 13,884 | | |
| 466 | Heart specialist? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank | 236 320 12 27 13,884 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|---|-----------------------------------|----------|
| | What type of doctor was it? | | Question 2h. Continued | _ |
| 467 | Some other medical person? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank | 36 509 12 38 13,884 | | |
| 468 | Have you ever stayed in a hospital overnight or longer because of your chest pains or a heart condition? | | Question 2i. | <u>.</u> |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 372 301 3 13,803 | | .51 - |
| 469 | During the past 12 months, about how many work days would you estimate you have lost because of a heart condition? | | Question 2j. | |
| | <pre>1 - None 2 - 1-4 days 3 - 5-9 days 4 - 10-14 days 5 - 15-19 days 6 - 20-29 days 7 - 30 days or more 8 - Blank, but applicable Blank</pre> | 539 23 14 5 5 1 82 7 13,803 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|-------------------------------|-----------------------------------|------|
| | SHORTNESS OF BREATH | | | |
| 470 | Have you ever had shortness of breath either when hurrying on the level or walking up a slight hill? | | Question 3a. | |
| | 1 - Yes 2 - No Blank | 3,451 6,953 4,075 | | |
| 471 | Have you had this problem on most days for at least 90 days in the past year? | | Question 3b. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,598 1,853 11,028 | | -52- |
| 472 | Do you get short of breath when walking with other people at an ordinary pace on level ground? | | Question 3c. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,097 2,351 3 11,028 | | |
| 473 | Do you have to stop for breath when walking at your own pace on level ground? | | Question 3d. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 698 2,747 6 11,028 | | |

.

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|--|-----------------------------------|------|
| 474 | Do you have to stop for breath after walking about 100 yards or after a few minutes on level ground? | | Question 3e. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 693 2,751 7 11,028 | | |
| 475 | How long ago did you first have this trouble with shortness of breath? | | Question 3f. | |
| | 1 - Less than 1 year ago 2 - 1-3 years ago 3 - 4-9 years ago 4 - 10 years ago or more 8 - Blank, but applicable 9 - Don't know Blank | 389 1,089 857 1,002 3 111 11,028 | | -53- |
| 476 | Have you gotten chest pains along with the shortness of breath? | | Question 3g. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 845 2,605 1 11,028 | | |

•

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|---------------------------|-----------------------------------|------|
| | Were these pains located in the - | | Question 3h. | |
| 477 | Upper chest? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 732 109 5 13,633 | | |
| 478 | Upper back? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 123 717 6 13,633 | | -54- |
| 479 | Lower back? | | | • |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 44 797 5 13,633 | | |
| 480 | Along the lower ribs? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 149 691 6 13,633 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|---|-----------------------------------|
| | Were these pains located in the - | | Question 3h. Continued |
| 481 | On the sides? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 143 697 6 13,633 | |
| 482 | Do you develop wheezing as well as shortness of breath? | | Question 3i. |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,043 2,394 14 11,028 | ı |
| 483 | Have you ever had pain in your back on most days for at least two weeks? | | Question 4a. |
| | 1 - Yes 2 - No Blank | 1,763 8,641 4,075 | |
| 484 | What is the longest episode of back pain you have ever had? | | Question 4b. |
| | <pre>1 - Less than one month 2 - One but less than 2 months 3 - 2-3 months 4 - 4-5 months 5 - 6 months or more 8 - Blank, but applicable 9 - Don't remember Blank</pre> | 607 264 204 67 590 2 29 12,716 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|-----------------------------|-----------------------------------|------|
| | Where is the pain usually located? | | Question 4c. | |
| 485 | Upper back? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 235 1,527 1 12,716 | | |
| 486 | Mid-back? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 275 1,487 1 12,716 | | -56- |
| 487 | Lower back? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,516 246 1 12,716 | | |
| | When you have this back pain, where is it most intense? | | Question 4d. | |
| 488 | Upper back? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 178 1,578 7 12,716 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|------------------------------|-----------------------------------|------|
| | When you have this back pain, where is it most intense? | | Question 4d. Continued | |
| 489 | Mid-back? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 206 1,550 7. 12,716 | | |
| 490 | Lower back? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,443 313 7 12,716 | | -57- |
| 491 | Is the back pain usually present when you are resting at night? | | Question 4e. | |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre> | 1,001 755 7 12,716 | | |
| 492 | When you have the back pain does it awaken you from sleeping at night? | | Question 4f. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 882 878 3 12,716 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|------------------------------|-----------------------------------|------|
| 493 | Does the back pain ever seem to spread? | | Question 4g. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 564 1,178 21 12,716 | | |
| | Does it spread to the ~ | | Question 4h. | |
| 494 | Back of the right leg? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 195 369 21 13,894 | | -58- |
| 495 | Back of the left leg? | | | ' |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 171 393 21 13,894 | | |
| 496 | Back of both legs? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 167 396 22 13,894 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|------------------------------|-----------------------------------|
| | Does it spread to the - | | Question 4h. Continued |
| 497 | Top of the head? | | |
| | 1 - Yes2 - No8 - Blank, but applicableBlank | 85 478 22 13,894 | |
| 498 | Sides of the body? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 149 414 22 13,894 | -59- |
| | Is your back pain made worse - | | Question 4i. |
| 499 | By coughing, sneezing, or deep breathing? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 590 1,155 18 12,716 | |
| 500 | With bending or twisting motion? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,381 365 17 12,716 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|--|---|-----------------------------------|
| | Is your back pain made worse - | | Question 4i. Continued |
| 501 | After prolonged sitting? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,245 502 16 12,716 | |
| 502 | After prolonged standing? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,169 577 17 12,716 | -60- |
| 503 | After prolonged activity? | | ī |
| | 1 - Yes [.] 2 - No 8 - Blank, but applicable Blank | 1,227 519 17 12,716 | |
| 504 | How old were you when you first experienced this recurring back pain? | | Question 4j. |
| | 1 - Less than 20 years old 2 - 20-29 years old 3 - 30-39 years old 4 - 40-49 years old 5 - 50-59 years old 6 - 60 years old or older 8 - Blank, but applicable Blank | 171 372 404 367 273 170 6 12,716 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|---|-----------------------------------|-------------|
| 505 | When was the last time you had this pain? | | Question 4k. | |
| | 1 - Have it now 2 - Less than 1 year ago, but not now 3 - 1-2 years ago 4 - 3-5 years ago 5 - 6 years ago or more 8 - Blank, but applicable Blank | 896 445 115 89 212 6 12,716 | | |
| 506 | Does this back pain occur more frequently now than it used to occur? | | Question 41. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 671 1,088 4 12,716 | | -61- |
| 507 | Has this back pain usually been mild, moderate or severe? | | Question 4m. | |
| | 1 - Mild 2 - Moderate 3 - Severe 8 - Blank, but applicable Blank | 365 746 646 6 12,716 | | |
| 508 | Have you ever had a sprained back due to some type of physical activity? | | Question 4n. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 594 1,164 5 12,716 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|---------------------------------|-----------------------------------|------|
| 509 | Have you ever had a disc problem in either your back or neck? | | Question 4o. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 555 1,196 12 12,716 | | |
| 510 | Was the problem a ruptured disc? | | Question 4p. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 264 289 14 13,912 | | 1 |
| 511 | Was the disc problem in your back or neck? | | Question 4q. | -62- |
| | 1 - Back 2 - Neck 3 - Both 8 - Blank, but applicable Blank | 459 38 52 18 13,912 | | |
| 512-513 | How old were you when you first had the disc problem? | | Question 4r. | |
| | 00-74 - Years old 88 - Blank, but applicable Blank | 547 20 13,912 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|-------------------|-----------------------------------|------|
| 514 | Were you in traction? | | Question 4s. | |
| | 1 - Yes | 218 | | |
| | 2 - No | 333 | | |
| | 8 - Blank, but applicable | 16 | | |
| | Blank | 13,912 | | |
| 515 | Was surgery necessary? | | Question 4t. | |
| | 1 - Yes | 167 | | |
| | 2 - No | 384 | | |
| | 8 - Blank, but applicable | 16 | | |
| | Blank | 13,912 | | |
| 516 | Have you ever stayed in a hospital overnight or longer for back pain? | | Question 4u. | -63- |
| | 1 - Yes | 545 | | |
| | 2 - No | 1,201 | | |
| | 8 - Blank, but applicable | _17 | | |
| | Blank | 12,716 | | |
| 517 | Have you ever had pain in your neck on most days for at least two weeks? | | Question 5a. | |
| | 1 - Yes | 913 | | |
| | 2 - No | 9,491 | | |
| | Blank | 4,075 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|---|-----------------------------------|------|
| 518 | What is the longest episode of neck pain you have ever had? | | Question 5b. | |
| | <pre>1 - Less than one month 2 - One but less than two months 3 - 2-3 months 4 - 4-5 months 5 - 6 months or more 8 - Blank, but applicable 9 - Don't remember Blank</pre> | 327 129 122 26 291 1 17 | | |
| 519 | Is the neck pain present when you are resting at night? | | Question 5c. | -6 |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 574 334 5 13,566 | | -64- |
| 520 | Does the neck pain ever seem to spread? | | Question 5d. | |
| | 1 - Yes 2 - No Blank | 358 555 13,566 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|---------------------------|-----------------------------------|-----|
| F 2.1 | Does it spread to - | | Question 5e. | |
| 521 | The top and back of the head? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 182 171 5 14,121 | | |
| 522 | Either shoulder area? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 251 100 7 14,121 | | -65 |
| 523 | The arms or hands? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 109 243 6 14,121 | | • |
| 524 | Other? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 34 314 10 14,121 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|---------------------------|-----------------------------------|------|
| | Is your neck pain made worse - | | Question 5f. | |
| 525 | By coughing, sneezing, or deep breathing? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 195 714 4 13,566 | | |
| 526 | With bending or twisting motion? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 641 267 5 13,566 | | -66- |
| 527 | After prolonged activity? | | | ' |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 529 378 6 13,566 | | |
| 528 | After prolonged sitting? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 453 452 8 13,566 | | |
| 529 | After prolonged standing? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 393 511 9 13,566 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|---|-----------------------------------|------|
| 530 | How old were you when you first experienced this recurring neck pain? | | Question 5g. | |
| | 1 - Less than 20 years old 2 - 20-29 years old 3 - 30-39 years old 4 - 40-49 years old 5 - 50-59 years old 6 - 60 years old or older 8 - Blank, but applicable Blank | 52 144 164 213 170 164 6 | | |
| 531 | When was the last time you had this pain? | · | Question 5h. | |
| | <pre>1 - Have it now 2 - Less than 1 year ago but not now 3 - 1-2 years ago 4 - 3-5 years ago 5 - 6 years ago or more 8 - Blank, but applicable Blank</pre> | 534 207 50 40 78 4 13,566 | | -67- |
| 532 | Does this neck pain occur more frequently now than it used to occur? | | Question 5i. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 415 496 2 13,566 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|----------------------------------|-----------------------------------|-------------|
| 533 | Has this neck pain usually been mild, moderate, or severe? | | Question 5j. | |
| | <pre>1 - Mild 2 - Moderate 3 - Severe 8 - Blank, but applicable Blank</pre> | 247 402 262 2 13,566 | | |
| 534 | Have you ever had a "whiplash" injury of the neck? | | Question 5k. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 239 671 3 13,566 | | -68- |
| | Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good? | | Questions 6a. and 6b. | |
| 535 | Splints or casts? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 72 2,014 66 12,327 | | |
| 536 | Did it do you any good? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 53 18 67 14,341 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|------------------------------|------------------------------------|
| | Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good? | | Questions 6a. and 6b. Continued |
| 537 | Braces | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 500 1,579 73 12,327 | |
| 538 | Did it do you any good? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 367 133 73 13,906 | -69- |
| 539 | Diathermy or paraffin | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 296 1,786 70 12,327 | |
| 540 | Did it do you any good? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 233 63 70 14,113 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|------------------------------|------------------------------------|
| | Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good? | | Questions 6a. and 6b. Continued |
| 541 | Hot packs or heating pads 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,431 643 78 12,327 | |
| 542 | Did it do you any good? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,181 249 79 12,970 | -70- |
| 543 | Cold packs or ice 1 - Yes 2 - No 8 - Blank, but applicable Blank | 139 1,943 70 12,327 | |
| 544 | Did it do you any good? 1 - Yes 2 - No 8 - Blank, but applicable Blank | 86 53 70 14,270 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|------------------------------|------------------------------------|------|
| | Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good? | | Questions 6a. and 6b. Continued | ·- |
| 545 | Rest | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,571 491 90 12,327 | | |
| 546 | Did it do you any good? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,373 197 91 12,818 | | -71- |
| 547 | Traction | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 421 1,653 78 12,327 | | |
| 548 | Did it do you any good? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 277 144 78 13,980 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|------------------------------|------------------------------------|
| | Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good? | | Questions 6a. and 6b. Continued |
| 549 | Exercises or physical therapy | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 697 1,379 76 12,327 | |
| 550 | Did it do you any good? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 543 154 76 13,706 | -72 |
| 551 | Aspirin? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,174 899 79 12,327 | |
| 552 | Did it do you any good? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 939 234 80 13,226 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|------------------------------|------------------------------------|
| | Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good? | | Questions 6a. and 6b. Continued |
| 553 | Cane? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 121 1,945 86 12,327 | |
| 554 | Did it do you any good? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 110 11 86 14,272 | |
| 555 | Crutch? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 94 1,973 85 12,327 | |
| 556 | Did it do you any good? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 78 15 86 14,300 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|--------------------------------|------------------------------------|
| | Have you ever used any of the following kinds of treatment for your back or neck trouble? Did it do you any good? | | Questions 6a. and 6b. Continued |
| 557 | Stiff mattress? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,011 1,060 81 12,327 | |
| 558 | Did it do you any good? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 857 148 87 13,387 | -74- |
| 559 | Bed board? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 623 1,443 86 12,327 | |
| 560 | Did it do you any good? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 525 94 90 13,770 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|----------------------------|-----------------------------------|------|
| | Are you now using it regularly for your back or neck trouble? | | Question 6c. | |
| 561 | Splints or casts | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 3 51 1 14,424 | | |
| 562 | Braces | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 93 269 5 14,112 | | -75- |
| 563 | Diathermy or paraffin | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 13 213 7 14,246 | | |
| 564 | Hot packs or heating pads | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 396 775 11 13,297 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|----------------------------|-----------------------------------|
| | Are you now using it regularly for your back or neck trouble? | | Question 6c. Continued |
| 565 | Cold packs or ice | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 17 66 3 14,393 | |
| 566 | Rest | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 685 673 18 13,103 | -76- |
| 567 | Traction | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 23 249 5 14,202 | |
| 568 | Exercises or physical therapy | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 222 312 9 13,936 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|----------------------------|-----------------------------------|
| | Are you now using it regularly for your back or neck trouble? | | Question 6c. Continued |
| 569 | Aspirin | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 462 459 20 13,538 | |
| 570 | Cane | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 34 74 4 14,367 | -77- |
| 571 | Crutch | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 4 74 3 14,398 | |
| 572 | Stiff mattress | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 783 75 7 13,614 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|-------------------------------------|-----------------------------------|
| | Are you now using it regularly for your back or neck trouble? | | Question 6c. Continued |
| 573 | Bed board | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 332 189 9 13,949 | |
| 574 | At the present time, does your back or neck condition restrict your physical activity very little, quite a bit, or a whole lot? | | Question 7a. |
| | <pre>1 - Very little 2 - Quite a bit 3 - A whole lot 8 - Blank, but applicable Blank</pre> | 1,436 391 258 67 12,327 | -78- |
| 575 | Have you ever had to stay in bed at home for long periods of time because of your back or neck trouble? | | Question 7b. |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 729 1,355 68 12,327 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|-----------------------------------|-----------------------------------|------|
| 576 | Have you ever stayed overnight in a hospital because of back or neck problems? | | Question 7c. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 636 1,446 70 12,327 | | |
| 577 | With respect to your back or neck trouble, would you say your condition is mild, moderate, or severe? | | Question 8. | |
| | <pre>1 - Mild 2 - Moderate 3 - Severe 8 - Blank, but applicable Blank</pre> | 970 804 316 62 12,327 | | -79- |
| 578 | At any time during the past year did your back or neck trouble cause you to cut down on the things you usually do? | • | Question 9a. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 969 1,123 60 12,327 | | |
| 579-581 | During the past year, about how many days did you cut down on your activity? | | Question 9b. | |
| | 000-365 - Days 888 - Blank, but applicable Blank | 957 72 13,450 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|--|-----------------------------------|------|
| 582-584 | During the past year, about how many days did your condition keep you from work or school, not counting work around the house? | | Question 9c. | |
| | 000-365 - Days 888 - Blank, but applicable Blank | 923 82 13,474 | | |
| 585-587 | During the past year about how many days did your condition limit the kind or amount of work around the house you could do? | | Question 9d. | |
| | 000-365 - Days 888 - Blank, but applicable Blank | 926 79 13,474 | | -80- |
| 588-590 | During the past year, about how many days has this condition kept you in bed all or most of the day? | | Question 9e. | |
| | 000-365 - Days 888 - Blank, but applicable Blank | 759 75 13,645 | | |
| 591 | Have you ever had pain, swelling, or stiffness in your back or neck as the result of an accident or injury? | | Question 10a. | |
| | <pre>1 - Yes - back 2 - Yes - neck 3 - Yes - both 4 - No 8 - Blank, but applicable Blank</pre> | 415 209 166 1,292 70 12,327 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|----------------------------------|-----------------------------------|------|
| 592 | Do you think the accident or injury is the cause of any pain, swelling, or stiffness which might still be present? | | Question 10b. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank | 564 164 73 59 13,619 | | |
| 593 | Have you ever been treated by a medical person for back or neck trouble? | | Question 11a. | |
| | 1 - Yes 2 - No Blank | 3,752 6,652 4,075 | | -81- |
| | Was the medical person a - | | Question 11b. | |
| 594 | General practitioner? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,987 1,762 3 10,727 | | |
| 595 | Internist? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 216 3,534 2 10,727 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|-------------------------------|-----------------------------------|
| | Was the medical person a - | | Question 11b. Continued |
| 596 | Rheumatologist? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 56 3,694 2 10,727 | |
| 597 | Orthopedist? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 934 2,815 3 10,727 | -82- |
| 598 | Chiropractor? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,297 2,454 1 10,727 | |
| 599 | Osteopath? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 439 3,311 2 10,727 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|-------------------------------|-------------------------------------|
| | Was the medical person a - | | Question 11b. Continued |
| 600 | Physical therapist? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 310 3,440 2 10,727 | |
| 601 | Occupation () therapist? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 16 3,734 2 10,727 | -83- |
| 602 | Other? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 303 3,240 209 10,727 | |
| | What did he say the problem was? | | Question 11c. See Detailed Notes |
| 603 | Category 1 1 - Yes 8 - Blank, but applicable Blank | 184 433 13,862 | for list of code definitions |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|----------------------------------|-------------------|--|
| | What did he say the problem was? | | Question 11c. Continued See Detailed Notes |
| 504 | Category 2 | | for list of code |
| | 1 - Yes | 317 | definitions |
| | 8 - Blank, but applicable | 433 | |
| | Blank | 13,729 | |
| 505 | Category 3 | | |
| | 1 - Yes | 62 | |
| | 8 - Blank, but applicable | 433 | |
| | Blank | 13,984 | |
| 06 | Category 4 | | -84- |
| | 1 - Yes | 623 | |
| | 8 - Blank, but applicable | 433 | |
| | Blank | 13,423 | |
| 507 | Category 5 | | |
| | 1 - Yes | 1,221 | |
| | 8 - Blank, but applicable | 433 | |
| | Blank | 12,825 | |
| 808 | Category 6 | | |
| | 1 - Yes | 1,098 | |
| | 8 - Blank, but applicable | 433 | |
| | Blank | 12,948 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|------------------------------|-----------------------------------|------|
| 609 | Are you now being treated by a medical person for back or neck trouble? | | Question 11d. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 501 3,235 16 10,727 | | |
| | <u>Is this a -</u> | | Question 11e. | |
| 610 | General practitioner? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 224 272 21 13,962 | | -85- |
| 611 | Internist? | | | |
| | 1 - Yes2 - No8 - Blank, but applicableBlank | 26 469 22 13,962 | | |
| 612 | Rheumatologist? | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 11 484 22 13,962 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|--|----------------------------|-----------------------------------|
| | Is this a - | | Question 11e. Continued |
| 613 | Orthopedist? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 75 420 22 13,962 | |
| 614 | Chiropractor? | | |
| | 1 - Yes2 - No8 - Blank, but applicableBlank | 135 359 23 13,962 | -86- |
| 615 | Osteopath? | | · |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre> | 39 456 22 13,962 | |
| 616 | Physical therapist? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 10 485 22 13,962 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|--|-----------------------------|--------------------------------------|
| | Is this a - | | Question 11e. Continued |
| 517 | Occupational therapist? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 2 493 22 13,962 | |
| 18 | Other? | | |
| | 1 - Yes2 - No8 - Blank, but applicableBlank | 35 441 41 13,962 | -87- |
| | What did he say the problem was? | | Question 11f. |
| 19 | Category 1 | | See Detailed Notes for list of codes |
| | 1 - Yes 8 - Blank, but applicable Blank | 42 89 14,348 | |
| 20 | Category 2 | | |
| | 1 - Yes 8 - Blank, but applicable Blank | 99 89 14 , 291 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|---------------------|--|
| | What did he say the problem was? | | Question 11f. Continued See Detailed Notes for list of codes |
| 621 | Category 3 | | |
| | 1 - Yes 8 - Blank, but applicable Blank | 13 89 14,377 | |
| 622 | Category 4 | | |
| | 1 - Yes 8 - Blank, but applicable Blank | 77 89 14,313 | - 88- |
| 623 | Category 5 | | Ψ |
| | 1 - Yes 8 - Blank, but applicable Blank | 91 89 14,299 | |
| 624 | Category 6 | | |
| | 1 - Yes 8 - Blank, but applicable Blank | 134 89 14,256 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|-------------------------------|-----------------------------------|------|
| 625 | Have you ever had an operation for a back or neck disease or injury? | - | Question 12a. | |
| | 1 - Yes 2 - No Blank | 298 3,454 10,727 | | |
| 626 | Was it your back or neck? | | Question 12b. | |
| | <pre>1 - Back 2 - Neck 3 - Both 8 - Blank, but applicable Blank</pre> | 244 43 3 8 14,181 | | -89- |
| 627 | Have you had pain or aching in any joint other than the back or neck on most days for at least six weeks? | | Question 13a. | ī |
| | 1 - Yes 2 - No Blank | 2,219 8,185 4,075 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|--|---------------------------------|-----------------------------------|
| | Which joints were painful? | | Questions 13b. and 13c. |
| 628 | Fingers | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 739 1,474 6 12,260 | |
| 629 | Which fingers | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 144 76 517 2 13,740 | -90- |
| 630 | Wrist | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 394 1,816 9 12,260 | |
| 631 | Which wrist | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 83 63 243 5 14,085 | |

| TAPE POSITIONS | I'TEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|----------------------------------|--------------------------------------|
| 632 | Which joints were painful? Elbow | | Questions 13b. and 13c. Continued |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 491 1,722 6 12,260 | |
| 633 | Which elbow 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank | 148 95 244 4 13,988 | -91- |
| 634 | Shoulder 1 - Yes 2 - No 8 - Blank, but applicable Blank | 784 1,427 8 12,260 | |
| 635 | Which shoulder 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank | 271 158 353 2 13,695 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|--|----------------------------------|-----------------------------------|
| | Which joints were painful? | | Questions 13b. and 13c. |
| 636 | <u>Hip</u> | | Continued |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 564 1,648 7 12,260 | |
| 637 | Which hip | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 153 139 264 8 13,915 | -92- |
| 638 | Knee | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,090 1,123 6 12,260 | |
| 639 | Which knee | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 260 215 612 3 13,389 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|--|--------------------------------|--------------------------------------|
| 640 | Which joints were painful? Ankle | | Questions 13b. and 13c. Continued |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 448 1,764 7 12,260 | |
| 641 | Which ankle 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank | 85 70 289 4 14,031 | -93- |
| 642 | Foot 1 - Yes 2 - No 8 - Blank, but applicable Blank | 391 1,819 9 12,260 | |
| 643 | Which foot 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank | 52 67 271 1 14,088 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|--|-----------------------------------|------|
| 644 | When was the last time you had this pain? | | Question 13d. | |
| | <pre>1 - Have it now 2 - Less than 1 year ago, but not now 3 - 1-2 years ago 4 - 3-5 years ago 5 - 6 years ago or more 8 - Blank, but applicable Blank</pre> | 1,363 519 103 84 136 14 | | |
| 645 | Have you ever had any swelling of joints with pain present when the joint was touched on most days for at least one month? | | Question 14a. | |
| | 1 - Yes 2 - No Blank | 1,180 9,224 4,075 | | -94- |
| 646 | Has this swelling been present on any one occasion for at least six weeks? | | Question 14b. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 795 351 34 13,299 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|---------------------------------|--------------------------------------|
| | Which joints are usually involved whenever you have this swelling and tenderness on touching? | | Questions 14c. and 14d. Continued |
| 647 | Fingers | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 495 638 47 13,299 | |
| 648 | Which fingers | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 106 49 334 6 13,984 | -95- |
| 649 | Wrists | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 176 939 65 13,299 | |
| 650 | Which wrist | | |
| | 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank | 33 30 108 5 14,303 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|--------------------------------|--------------------------------------|
| | Which joints are usually involved whenever you have this swelling and tenderness on touching? | | Questions 14c. and 14d. Continued |
| 651 | E1bows | | · |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 170 943 67 13,299 | |
| 652 | Which elbow | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 37 43 86 4 14,309 | -96- |
| 653 | Shoulders | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 188 921 71 13,299 | |
| 654 | Which shoulder | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 52 27 105 4 14,291 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|----------------------------------|--------------------------------------|
| | Which joints are usually involved whenever you have this swelling and tenderness on touching? | · | Questions 14c. and 14d. Continued |
| 655 | <u>Hips</u> | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 111 996 73 13,299 | |
| 656 | Which hip | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 25 15 67 4 14,368 | -97- |
| 657 | Knees | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 500 634 46 13,299 | |
| 658 | Which knee? | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 151 101 240 8 13,979 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|--------------------------------|-----------------------------------|
| | Which joints are usually involved whenever you have this swelling and tenderness on touching? | | Questions 14c. and 14d. |
| 659 | Ankles | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 330 796 54 13,299 | |
| 660 | Which ankle | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 69 55 198 8 14,149 | -98- |
| 661 | <u>Feet</u> | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 259 863 58 13,299 | |
| 662 | Which foot | | |
| | 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank | 33 39 181 6 14,220 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|---|-----------------------------------|------|
| 663 | How old were you when you first experienced this swelling of the joints? | | Question 14e. | |
| | 1 - Less than 20 years old 2 - 20-29 years old 3 - 30-39 years old 4 - 40-49 years old 5 - 50-59 years old 6 - 60 years old or older 8 - Blank, but applicable Blank | 89 148 171 246 262 237 27 13,299 | | |
| 664 | When was the last time you had this? | | Question 14f. | |
| | <pre>1 - Now 2 - Less than 1 year ago, but not now 3 - 1-2 years ago 4 - 3-5 years ago 5 - 6 years ago or more 8 - Blank, but applicable Blank</pre> | 712 225 71 41 106 25 13,299 | | -99- |
| 665 | Have you had stiffness in your joints and muscles when first getting out of bed in the morning on most mornings for at least one month? | | Question 15a. | |
| | 1 - Yes 2 - No Blank | 2,073 8,331 4,075 | | |

| | · | | |
|-------------------|---|----------------------------------|-----------------------------------|
| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
| 666 | Has this morning stiffness been present on any one occasion for at least six weeks? | | Question 15b. |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre> | 1,540 489 44 12,406 | |
| | Which joints are usually involved whenever you have this morning stiffness? | | Questions 15c. and 15d. |
| 667 | Fingers | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 838 1,233 2 12,406 | -100- |
| 668 | Which fingers | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 104 42 677 15 13,641 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|--------------------------------|-----------------------------------|
| | Which joints are usually involved whenever you have this morning stiffness? | | Questions 15c. and 15d. Continued |
| 669 | Wrists | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 388 1,681 4 12,406 | |
| 670 | Which wrist | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 44 23 312 9 14,091 | -101- |
| 671 | <u>Elbows</u> | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 382 1,686 5 12,406 | |
| 672 | Which elbow | | |
| | 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank | 63 30 281 8 14,097 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|----------------------------------|--------------------------------------|
| | Which joints are usually involved whenever you have this morning stiffness? | | Questions 15c. and 15d. Continued |
| 673 | Shoulders | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 662 1,406 5 12,406 | |
| 674 | Which shoulder | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 110 61 480 11 13,817 | -102- |
| 675 | <u>Hips</u> | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 748 1,318 7 12,406 | |
| 676 | Which hip | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 110 72 555 11 13,731 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|----------------------------------|--------------------------------------|
| | Which joints are usually involved whenever you have this morning stiffness? | | Questions 15c. and 15d. Continued |
| 677 | Knees | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,210 861 2 12,406 | |
| 678 | Which knee | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 142 91 961 16 13,269 | -103- |
| 679 | Ankles | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 663 1,407 3 12,406 | |
| 680 | Which ankle | | |
| | <pre>1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank</pre> | 58 51 545 9 13,816 | |

| TAPE POSITIONS | I'TEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|---------------------------------|--------------------------------------|
| 681 | Which joints are usually involved whenever you have this morning stiffness? Feet | | Questions 15c. and 15d. Continued |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 574 1,494 5 12,406 | |
| 682 | Which foot 1 - Right 2 - Left 3 - Both 8 - Blank, but applicable Blank | 41 43 475 15 13,905 | -104- |
| 683 | Back 1 - Yes 2 - No 8 - Blank, but applicable Blank | 983 1,065 25 12,406 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|--|-----------------------------------|-------|
| 684 | How long after getting up and moving around does the morning stiffness last? | | Question 15e. | |
| | 1 - Less than 15 minutes 2 - 15 minutes to one half hour 3 - More than one half hour, but less than all day | 595 584 702 | | |
| | 4 - All day Blank | 192 12,406 | | |
| 685 | How old were you when you first experienced this morning stiffness of joints? | | Question 15f. | |
| | <pre>1 - Less than 20 years old 2 - 20-29 years old 3 - 30-39 years old 4 - 40-49 years old 5 - 50-59 years old 6 - 60 years old or older 8 - Blank, but applicable Blank</pre> | 73 212 298 432 596 458 4 12,406 | | -105- |
| 686 | When was the last time you had this? | | Question 15g. | |
| | 1 - Now 2 - Less than 1 year ago, but not now 3 - 1-3 years ago 4 - 4-9 years ago 5 - 10 years ago or more 8 - Blank, but applicable Blank | 1,730 251 46 20 18 8 12,406 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|---------------------------|-----------------------------------|------|
| 687 | Have you ever had a job which placed frequent stress or strain on your back? | | Question 16a. | |
| | 1 - Yes 2 - No Blank | 3,951 6,453 4,075 | | |
| 688-689 | How long did you work at that kind of job? | | Question 16b. | |
| | 00-11 - Months 88 - Blank, but applicable Blank | 357 1 14,121 | | -106 |
| 690-691 | 01-55 - Years Blank | 3,593 10,886 | | Ÿ. |
| 692 | Has a doctor ever told you that you had mononucleosis? | | Question 17. | |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre> | 439 13,891 81 68 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|-----------------------------|-----------------------------------|------|
| 693 | Have you ever had yellow jaundice which caused your skin or eyes to turn yellow? | | Question 18a. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 694 13,649 68 68 | | |
| 694 | When this happened, did your urine become darker? | | Question 18b. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 334 117 311 13,717 | | -107 |
| 695 | Did your stools become lighter in color? | | Question 18c. | 7- |
| ` | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 209 168 385 13,717 | | |
| 696 | Did your skin remain yellow for a month or longer? | | Question 18d. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 261 264 237 13,717 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|------------------------------------|-----------------------------------|-------|
| 697 | Have you had yellow jaundice more than once? | | Question 18e. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 40 564 158 13,717 | | |
| 698 | How many times did you have it? | | Question 18f. | |
| | 1-5 - Times 8 - Blank, but applicable Blank | 37 161 14,281 | | |
| 699 | As far as you know, have you ever been in contact with a person who may have had yellow jaumdice? | | Question 18g. | -108- |
| | 1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank | 2,169 11,672 67 503 68 | | · |
| 700 | Have you ever had an operation for a hernia not including hiatus hernia of the diaphragm? | | Question 19. | • |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,105 13,219 87 68 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|---|-----------------------------------|-------|
| 701 | How many times have you used or had any contact with carbon tetrachloride? | | Question 20. | |
| | <pre>0 - None 1 - Once 2 - 2-4 times 3 - 5-9 times 4 - 10 or more times 8 - Blank, but applicable 9 - Don't know Blank</pre> | 10,958 210 656 363 1,281 63 880 68 | | |
| | Are pesticides, such as weed killers, insecticides, fungicides and other chemicals used for pest control, used in your- | | Question 21a. | -109- |
| 702 | Home? | | | |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank</pre> | 9,244 5,061 61 45 68 | | |
| 703 | Garden? | | | |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank</pre> | 6,181 8,064 61 105 68 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|--|------------------------------------|-----------------------------------|
| | Are pesticides, such as weed killers, insecticides, fungicides and other chemicals used for pest control, used in your | | Question 21a. Continued |
| 704 | Yard? | | |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank</pre> | 6,004 8,221 61 125 68 | |
| 705 | Place of employment? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank | 2,823 11,082 61 445 68 | -110- |
| 706 | Anywhere else around you? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank | 1,336 12,577 61 437 68 | |

| TAPE POSITIONS | I'TEM DESCRIPTION AND CODES | CONTROL | NHANES-II DATA SOURCE OR NOTES | - |
|-------------------|---|-------------------------------|-----------------------------------|-------|
| 707 | To your knowledge are any pesticides used around you? | | Question 21b. | |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre> | 115 2,008 125 12,231 | | |
| 708 | During the past 12 months, has anyone in your family had pesticide poisoning diagnosed by a doctor? | | Question 21c. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 43 14,262 106 68 | | -111- |
| 709 | During the past 12 months has your home or place of employment been treated for pest control by a commercial company? | | Question 21d. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 3,748 10,553 110 68 | | |
| 710 | Are any disinfectants, such as Lysol or Pine Oil, used in your home? | | Question 21e. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable b Blank | 11,964 2,329 118 68 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|-------------------------|-----------------------------------|------|
| 711 | Have you smoked at least 100 cigarettes during your entire life? | | Question 22a. | |
| | 1 - Yes 2 - No Blank | 371 1,589 12,519 | | |
| 712 | Do you smoke cigarettes now? | | Question 22b. | |
| | 1 - Yes 2 - No Blank | 292 79 14,108 | | |
| 713-714 | On the average, about how many a day do you smoke? | | Question 22c. | Ļ |
| | 00-40 - Cigarettes per day Blank | 292 14,187 | | 112- |
| 715-716 | How long has it been since you smoked cigarettes fairly regularly? | | Question 22d. | |
| | 00-10 - Years 77 - Under one year 88 - Never smoked cigarettes regularly Blank | 28 44 7 14,400 | | |

•

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|---------------------------------------|-----------------------------------|------|
| 717-718 | On the average, about how many cigarettes a day were you smoking 12 months ago? | · · · · · · · · · · · · · · · · · · · | Question 22e. | |
| | 00-80 - Cigarettes per day 88 - Did not smoke 99 - Don't know Blank | 263 60 13 14,143 | | |
| 719-720 | During the period when you were smoking the most, about how many cigarettes a day did you usually smoke? | | Question 22f. | |
| | 00-80 - Cigarettes per day 99 - Don't know Blank | 357 7 14,115 | | -113 |
| 721-722 | About how old were you when you first started smoking cigarettes fairly regularly? | | Question 22g. | 3 |
| | 06-17 - Years old 88 - Never smoked regularly 99 - Don't know Blank | 349 13 2 14,115 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|------------------------------|-----------------------------------|-------|
| 723 | Did a doctor ever tell you that you had chronic kidney disease? | | Question 23a. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 283 14,051 77 68 | | |
| 724 | Have you ever had pain or burning sensation on urination accompanied by more frequent urination than usual? | | Question 23b. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 3,840 10,419 152 68 | | -114- |
| 725-726 | How many separate times has this happened? | | Question 23c. | |
| | 01-99 - Times 88 - Blank, but applicable Blank | 3,693 299 10,487 | | |
| 727 | Do you NOW have difficulty starting to urinate? | | Question 24. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 810 13,518 83 68 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|---|-----------------------------------|------|
| 728 | Do you NOW have periods of waking from sleep two or three times a night to urinate? | | Question 25. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 2,645 11,685 81 68 | | |
| 729 | Have you ever noticed blood in your urine? (FOR WOMEN - other than at the time of your period) | | Question 26a. | |
| | 1 - Yes 2 - No Blank | 1,098 13,313 68 | | -115 |
| 730-731 | How many separate times has this happened? | | Question 26b. | • |
| | 01-99 - Times 88 - Blank, but applicable Blank | 1,065 33 13,381 | | |
| 732 | When was the last time it happened? | | Question 26c. | |
| | 1 - Less than 1 year ago, but not now 2 - 1-2 years ago 3 - 3-5 years ago 4 - 6 years ago or more 8 - Blank, but applicable Blank | 270 202 213 404 9 13,381 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|-------------------------------------|-----------------------------------|------------|
| 733 | Have you ever noticed that your urine was a different color than the usual yellow? (FOR WOMEN - other than at the time of your period) | | Question 27a. | |
| | 1 - Yes 2 - No Blank | 916 13,495 68 | | |
| 734 | How many different times has this happened? | | Question 27b. | |
| | 1 - Once 2 - Twice 3 - 3 or more Blank | 182 165 569 13,563 | | <u>.</u> . |
| 735-736 | How old were you when it happened? | | Question 27c. | 116- |
| | 05-72 - Years old Blank | 182 14,297 | | |
| 737 | How long did the change in color last? | | Question 27d. | |
| | <pre>1 - One time 2 - One day 3 - 2-6 days 4 - 1 week or longer 8 - Blank, but applicable Blank</pre> | 40 23 60 57 2 14,297 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|----------------------------|-----------------------------------|-------|
| 738-739 | How old were you when it FIRST happened? | | Question 27e. | _ |
| | 01-73 - Years old 88 - Blank, but applicable Blank | 713 21 13,745 | | |
| 740-741 | How long ago did it last happen? | | Question 27f. | |
| | 00-74 - Years ago 88 - Blank, but applicable Blank | 660 74 13,745 | | |
| 742-743 | How long did the change in color last that time? | | Question 27g. | _ |
| | 00 - Less than one day 01-90 - Days 88 - Blank, but applicable Blank | 208 501 25 13,745 | | -117- |
| 744 | Did you see a doctor about it? | | Question 27h. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 467 433 16 13,563 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|---|-----------------------------------|-------|
| 745 | Do you have trouble with your bowels which makes you constipated or gives you diarrhea? | | Question 28. | |
| | <pre>1 - Yes-Constipation 2 - Yes-Diarrhea 3 - No 4 - Both 8 - Blank, but applicable Blank</pre> | 1,824 619 11,742 149 77 68 | | |
| 746 | Have your bowel movements ever been white, gray, dark black, or streaked with blood? | | Question 29a. | |
| | 1 - Yes 2 - No Blank | 1,442 12,969 68 | | -118- |
| | Which was it? | | Question 29b. | |
| 747 | White | | | |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre> | 109 1,324 9 13,037 | | |
| 748 | Gray | | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 88 1,344 10 13,037 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|-----------------------------|-----------------------------------|
| | Which was it? | | Question 29b. Continued |
| 749 | Dark black | | |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable Blank</pre> | 688 746 8 13,037 | |
| 750 | Streaked with blood | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 727 712 3 13,037 | -119 |
| 751 | Do you have a physical disability or handicap which prevents or limits normal daily activities, such as the kind or amount of work that you can do, housework, schoolwork, using public transportation and so on? | · | Question 30a. |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1,172 13,146 93 68 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|--|-------------------|-----------------------------------|
| 752 757 | II 1 have now had this disability on her live o | | Out at inc. 70 |
| 752-753 | How long have you had this disability or handicap? | | Question 30c. |
| | 00-11 - Months | 66 | |
| | 88 - Blank, but applicable | 166 | |
| | Blank | 14,247 | |
| 754-755 | 01-74 - Years | 1,033 | |
| | 88 - Blank, but applicable | 166 | |
| | Blank | 13,280 | |
| | Does this disability or handicap PREVENT you from | | Questions 30d. and 30e. |
| | | | 스 |
| 756 | (Age 18 and over) working at a job or business? | | 120- |
| | 1 - Yes | 668 | |
| | 2 - No | 414 | |
| | 8 - Blank, but applicable | 131 | |
| | Blank | 13,266 | |
| 757 | Does it LIMI'T you in this activity? | | |
| | 1 - Yes | 241 | |
| | 2 - No | 152 | |
| | 8 - Blank, but applicable | 152 | |
| | Blank | 13,934 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|-----------------------------|--------------------------------------|
| | Does this disability or handicap PREVENT you from | | Questions 30d. and 30e. Continued |
| 758 | (Age 18 and over) driving a car? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 240 831 142 13,266 | |
| 759 | Does it LIMIT you in this activity? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 258 500 215 13,506 | -121- |
| 760 | (Under age 18) doing any regular school work? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 1 31 20 14,427 | |
| 761 | Does it LIMIT you in this activity? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 12 18 21 14,428 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|------------------------------|--------------------------------------|
| | Does this disability or handicap PREVENT you from | | Questions 30d. and 30e. Continued |
| 762 | Using any public transportation such as buses, trains, and so on? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 147 965 153 13,214 | |
| 763 | Does it LIMIT you in this activity? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 206 665 247 13,361 | -122- |
| 764 | Taking care of any of your personal needs such as dressing or eating? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 91 1,023 151 13,214 | |
| 765 | Does it LIMIT you in this activity? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 211 719 244 13,305 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|--|-----------------------------|--------------------------------------|
| | Does this disability or handicap PREVENT you from | | Questions 30d. and 30e. Continued |
| 766 | Doing work around the house? | | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 274 833 158 13,214 | |
| 767 | Does it LIMIT you in this activity? | | |
| | 1 - Yes2 - No8 - Blank, but applicableBlank | 508 287 196 13,488 | -123- |
| | INTERVIEWER CHECK ITEM III | | |
| 768 | 1 - Female 2 - Male Blank | 7,494 6,917 68 | |
| 769-770 | How old were you when your periods or menstrual cycles started? | | Question 31a. |
| | 02 - Haven't started yet 08-35 - Years 88 - Blank, but applicable Blank | 148 7,299 47 6,985 | · |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|-------------------------------|-----------------------------------|-------|
| 771 | Have your periods stopped entirely not counting pregnancy? | | Question 31b. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 3,434 3,883 29 7,133 | | |
| 772-773 | At what age? | | Question 31c. | |
| | 14-69 - Years 88 - Blank, but applicable Blank | 3,404 59 11,016 | | • |
| 774-775 | When did your last period or menstrual cycle end? | | Question 31d. | -124- |
| | 00 - Having it now 01-99 - Days ago 88 - Blank but applicable Blank | 495 3,296 92 10,596 | | |
| 776 | Have you taken birth control pills during the past six months? | | Question 32a. | |
| | 1 - Yes 2 - No Blank | 940 6,406 7,133 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|---|-------------------------------|-----------------------------------|-------|
| 777 | Are you taking them now? | | Question 32b. | |
| | 1 - Yes 2 - No Blank | 654 286 13,539 | | |
| 778 | Have you EVER been pregnant? | | Question 33a. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 5,153 2,171 22 7,133 | | |
| 779-780 | What is the total number of pregnancies you have had? | | Question 33b. | -125- |
| | 01-20 - Number 88 - Blank, but applicable Blank | 5152 1 9,326 | | |
| 781-782 | What is the total number of miscarriages you have had? | | Question 33c. | |
| | 00-19 - Miscarriages 88 - Blank, but applicable Blank | 5,147 6 9,326 | | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|-----------------------------------|-----------------------------------|------|
| 783-784 | What is the total number of live births you have had? | | Question 33d. | |
| | 00-20 - Births 88 - Blank, but applicable Blank | 5,146 7 9,326 | | |
| 785 | Are you pregnant now? | | Question 33e. | |
| | <pre>1 - Yes 2 - No 8 - Blank, but applicable 9 - Don't know Blank</pre> | 122 4,978 28 25 9,326 | | -126 |
| 786-787 | Which month of pregnancy are you in? | | Question 33f. | ī |
| | 01-10 - Month 88 - Blank, but applicable Blank | 118 4 14,357 | | |
| 788 | Have you had a pregnancy which ended within the last twelve months? | | Question 33g. | |
| | 1 - Yes 2 - No Blank | 281 4,872 9,326 | | |

.

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES | |
|-------------------|--|-------------------------------------|-----------------------------------|-------|
| 789 | How many months ago did that pregnancy end? | | Question 33h. | |
| | <pre>1 - 10-12 months ago 2 - 7-9 months ago 3 - 4-6 months ago 4 - 0-3 months ago 8 - Blank, but applicable Blank</pre> | 62 68 74 74 3 14,198 | | |
| 790 | Are you breast feeding? | | Question 33i. | |
| | 1 - Yes 2 - No 8 - Blank, but applicable Blank | 41 231 9 14,198 | | -127- |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|-------------------|--|
| | Blood Pressure Measurements | | Physician's Examination, Ages 12-74 |
| 791-793 | Systolic | | (See Detailed Notes) |
| | 065-300 - As given 888 - Blank, but applicable | 14,416 63 | Item (e.) |
| 794-796 | Diastolic | | |
| | 035-150 - As given 888 - Blank, but applicable | 14,384 95 | |
| | Recumbent Measurement | | Item (U.) |
| 797-799 | Systolic | | -128 |
| | 070-300 - As given 888 - Blank, but applicable | 14,398 81 | Ŧ |
| 800-802 | Diastolic | | |
| | 036-150 - As given 888 - Blank, but applicable | 14,361 118 | |

| TAPE POSITIONS | ITEM DESCRIPTION AND CODES | CONTROL COUNTS | NHANES-II DATA SOURCE OR NOTES |
|-------------------|---|-------------------|---|
| 803-805 | Second Sitting Measurement Systolic | | Physician's Examination Continued Item (U.) |
| | 065-300 - As given 888 - Blank, but applicable | 14,394 85 | |
| 806-808 | Diastolic | | |
| | 036-150 - As given 888 - Blank, but applicable | 14,377 102 | |
| 810 | Dummy Record Flag | | |
| | 1 - Dummy Blank - Not dummy | 68 14,411 | -129- |

IV. DETAILED NOTES

TAPE POSITION 11

Size of Place

Size of place classification was derived from the 1970 decennial census of the population. According to the definition used in the 1970 census, the urban population comprised all persons living in (a) places of 2,500 inhabitants or more incorporated as cities, boroughs (except Alaska), villages and towns (except towns in New York, New England States, and Wisconsin), but excluding those persons living in the rural portions of extended cities; (b) unincorporated places of 2,500 inhabitants or more; and (c) other territories included in urbanized areas. The remaining population was classified as rural.

Urban areas are further classified by population size for places within urbanized areas and other places outside urbanized areas.

TAPE POSITION 12

SMSA-Not SMSA

Except in New England, a Standard Metropolitan Statistical Area is basically a county or a group of contiguous counties which contains at least one city of 50,000 inhabitants or more, or "twin cities" with a combined population of at least 50,000. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to the 1970 census, they are socially and economically integrated with the central city. Each SMSA must include at least one central city, and the complete title of an SMSA identifies the central city or cities. In New England, SMSA's consist of towns and cities, rather than counties.

TAPE POSITIONS 37-41

Family Unit Number

All related sample persons in the same family unit have the same computer-generated family unit code. This will enable analysis of individual family units.

TAPE POSITIONS 56, 206, AND 256

Race

The race of the respondent was marked by observation. The interviewers were instructed to assume that the race of all related persons was the same as the respondent unless otherwise learned. The race categories were 'White', "Black' or "Other". If the appropriate category could not be marked by observation, then race was asked. Interviewers were instructed to record persons who responded with something other than White or Black, such as Japanese, Chinese, American Indian, Korean, Hindu, Eskimo, etc. as "Other" and to include Mexicans, Puerto Ricans and other persons of Latin American descent in "White" unless definitely Black, American Indian, or of other nonwhite race.

TAPE POSITIONS 57-58 AND 257-258

United States

| Name of Place | Code |
|--------------------------|----------|
| Alabama | 01 |
| Alaska | 02 |
| Arizona | 04 |
| Arkansas | 05 |
| California | 06 |
| Colorado | 80 |
| Connecticut | 09 |
| Delaware | 10 |
| District of Columbia | 11 |
| Florida | 12 |
| Georgia | 13 |
| Hawaii | 15 |
| Idaho | 16 |
| Illinois | 17 |
| Indiana | 18 |
| Iowa | 19 |
| Kansas | 20 |
| Kentucky | 21 |
| Louisiana | 22 |
| Maine | 23 |
| Maryland | 24 |
| Massachusetts | 25 |
| Michigan | 26 |
| Minnesota | 27 |
| Mississippi | 28 |
| Missouri | 29 |
| Montana | 30 |
| Nebraska | 31 |
| Nevada | 32 |
| New Hampshire | 33 |
| New Jersey | 34 |
| New Mexico | 35 |
| New York | 36 |
| North Carolina. | 37 |
| North Dakota | 38 |
| Ohio. | 30 |
| Oklahoma | 40 |
| Oregon | 41 |
| | 42 |
| PennsylvaniaRhode Island | 44 44 |
| | |
| South Carolina | 45 46 |
| South Dakota | 46 |
| Tennessee | 47 |
| Texas | 48 |

TAPE POSITIONS 57-58 AND 257-258 (cont.)

| | 76 |
|--|----|
| Utah. 49 Vermont. 50 Virginia. 51 Washington. 53 West Virginia. 54 Wisconsin. 55 Wyoming. 56 | |

Outlying Areas of the United States

| Name of Place | Code | <u>Description</u> |
|---|----------------------|--|
| American Samoa Canal Zone Canton and Enderbury Island Guam Johnston Atoll | 60 61 62 66 | U.S. territory in the Pacific Territory in Panama leased by U.S. Under common US-UK administration U.S. territory in the Pacific U.S. territory in the Pacific, includes Sand Island |
| Midway Islands Puerto Rico | 71 72 | U.S. territory in the Pacific Commonwealth associated with the |
| | | U.S. |
| Swan Islands | 74 | U.S. territory in the Carribean |
| Trust Territories of the Pacific Islands | 75 | U.S. administered, includes Caroline, Mariana, and Marshall Island groups |
| U.S. Miscellaneous Carribean Islands | 76 | Includes Navassa Islands, Quito Sueno Bank, Roncador Cay, Serrana Bank, Serranilla Bank |
| U.S. Miscellaneous Pacific Islands | 77 | Includes Kingman Reef, Howland, Baker and Jarvis Islands, Palmyra Atoll |
| Virgin Islands | 78 | U.S. territory in the Carribean |
| Wake Island | 79 | U.S. territory in the Pacific |

Not United States

| North America | 91 |
|-----------------|----|
| South America | 92 |
| Europe | 93 |
| Africa | 94 |
| Asia | 95 |
| Australasia | 96 |
| Pacific Islands | 97 |

TAPE POSITIONS 73-75, 76-78, 273-275 AND 276-278

Industry and Occupation Codes

Occupation may be defined as the principal job or business. For this survey, the principal job or business of a respondent is defined in one of the following ways: if the person worked during the two week interview period or had a job or business, the question concerning occupation (or work) applies to the job during that period. If the respondent held more than one job, the question is directed to the one at which the most time was spent. It refers to the one considered most important when equal time is spent at each job. A person who has not begun work at a new job, is looking for work, or is on layoff from work is questioned about the last full-time civilian job. A full-time job is defined as one at which the person spent 35 or more hours per week and which lasted two consecutive weeks or more. A person who has a job but has not yet reported to it or a person who has never had a job or business is classified as a "new worker".

The 1970 census of population Alphabetical Index of Industries and Occupations was used in the coding of both the industry and occupation (Library of Congress Number 74-612012, for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. Stock Number 0301-2283).

TAPE POSITIONS 107-108

Family Income Group

The respondent was handed a card with twelve income ranges listed as Group A to Group L and asked "Which of these income groups represents your total combined family income for the past 12 months, that is, yours, your ...'s, etc? Include income from all sources such as wages, salaries, social security or retirement benefits, help from relatives, rent from property and so forth."

If the respondent answered Group A through G, that is with an income less than \$7,000, then questions 21 and 22 detailing exact sources and amounts of income were asked; otherwise, these questions were skipped.

No effort was made to reconcile amounts reported in detailed questions 21 and 22 with the categorical response to the family income group question. During the survey time period no adjustments to the income groups or \$7,000 value were made to account for inflation.

TAPE POSITION 207

Farm, nonfarm

This position contains a recode, which combines data on land use (position 25), size (position 26), and amount of sales of farm produce and livestock (positions 27 and 28).

Code 1: Farm: Rural land (coded 2 in position 25) which consisted of 10 or more acres (coded 1 in position 26) with crop sales of \$50 or more (coded 1 in position 27).

OR

Rural land (coded 2 in position 25) with crop sales of \$250 or more (coded 1 in position 28).

Code 2: Nonfarm: All other rural land (coded 2 in position 25) as well as land classified as urban (coded 1 in position 25).

TAPE POSITION 209

Region

The United States was divided into four broad geographic regions of approximately equal population. Those regions, which deviate somewhat from the groups used by the Bureau of Census, are as follows:

| Reg | ion | |
|-----|-----|-----|
| Non | the | ast |

States Included

Maine, Vermont, New Hampshire, Massachusetts, Connecticut, Rhode Island, New York, New Jersey, and

Pennsylvania

South

Delaware, Maryland, District of Columbia, West Virginia, Virginia, Kentucky, Tennessee, North Carolina, South Carolina, Georgia, Florida, Alabama, Mississippi, Louisiana, and

Arkansas

Midwest

Ohio, Illinois, Indiana, Michigan, Wisconsin, Minnesota, Iowa, Missouri

West

Washington, Oregon, California, Nevada, New Mexico, Arizona, Texas, Oklahoma, Kansas, Nebraska, North Dakota, South Dakota, Idaho, Utah,

Colorado, Montana, Wyoming,

Alaska, Hawaii

TAPE POSITIONS 210-212

Poverty Index

Income status was determined by the Poverty Income Ratio (PIR). Poverty statistics published in the Bureau of the Census reports 9-13 were based on the poverty index developed by the Social Security Administration (SSA) in 1964. (For a detailed discussion of the SSA poverty standards, see references 14 and 15.) Modifications in the definition of poverty were adopted in 1969. ¹⁶ The standard data series in poverty for statistical use by all executive departments and establishments has been established. ¹⁷

The two components of the PIR are the total income of the household (numerator: the median of the income group for incomes \$7,000 and above; the sum of the component parts of the income questions for incomes under \$7,000) and a multiple of the total income necessary to maintain a family with given characteristics on a nutritionally adequate food plan 9-13 (denominator). The dollar value of the denominator of the PIR is constructed from a food plan (economy plan) necessary to maintain minimum recommended daily nutritional requirements. The economy plan is designated by the U.S. Department of Agriculture for "emergency or temporary use when funds are low."

For families of three or more persons, the poverty level was set at three times the cost of the economy food plan. For smaller families and persons living alone, the cost of the economy food plan was adjusted by the relatively higher fixed expenses of these smaller households.

The denominator or poverty income cutoff adjusts the family poverty income maintenance requirements by the family size, the sex of the family head, the age of the family head in families with one or two members, and the place of residence (farm, nonfarm). Annual revisions of the poverty income cutoffs are based on the changes in the average cost of living as reflected in the Consumer Price Index.

As shown in the tables, the annual income considered to be the poverty level increases as the family size increases. A family with any combination of characteristics and with the same income as shown in the table has been designated as having a PIR or poverty level of 1.0. The same family with twice the income found in the table would have a PIR of 2.0. Ratios of less than 1.0 can be described as "below poverty" and ratios greater than or equal to 1.0, as "at or above poverty".

Poverty thresholds are computed on a national basis only. No attempt has been made to adjust these thresholds for regional, State, or other variations in the cost of living (except for the farm, nonfarm difference). None of the noncash public welfare benefits such as food stamp bonuses are included in the income of the low income families receiving these benefits. PIR has been adjusted by year (see tables) and accounts in some part for inflation.

TAPE POSITIONS 282-317

Sample Weights

A multistage estimation procedure was used to calculate the various NHANES II subsample sample weights that are necessary to use in any analysis of the data. The procedure has three basic components: 1) inflation by reciprocals of the probabilities of selection, 2) adjustment for nonresponse, and 3) poststratification ratio adjustment by age-sex-race. A brief description of each component is as follows:

<u>Inflation</u> by reciprocals of the sampling probabilities. Since the survey utilized a three-stage sample design, there were three probabilities of selection: 1) the probability of selecting the PSU, 2) the probability of selecting a segment and housing unit, and 3) the probability of selecting a sample person.

Adjustment for nonresponse. Estimates from the NHANES II data were adjusted to account for sample persons who were not examined. The estimates were inflated by a multiplication factor calculated within five selected income groups, three age groups, four regions, and standard metropolitan statistical area (SMSA) or non-SMSA. The numerator of these factors was the sum of the weights for sample persons resulting from the reciprocal of the probability of selection, and the denominator was the sum of the weights for examined persons also resulting from the reciprocals of the sampling probabilities.

Poststratification by age-sex-race. The estimates were ratio adjusted within each of 76 age-sex-race cells to an independent estimate, provided by the U.S. Bureau of the Census, of the population of each cell as of March 1, 1978, (approximate mid-point of the survey). The ratio adjustment was a multiplication factor of which the numerator was the U.S. population and the denominator was the sum of the weights adjusted for nonresponse for examined persons. This ratio estimation process makes the sample more closely representative of the civilian, noninstitutionalized population of the U.S.

Potential bias of nonresponse. Usually a sizeable number of sample persons who initially are willing to complete the household information and some of the medical history questionnaire subsequently will not participate in the examination. This creates the potential for bias if these persons differ from other sample persons with respect to the variables being studied. Intense efforts were undertaken during NHANES II to develop and implement standard procedures and inducements that would reduce the number of nonrespondents and thereby reduce the potential for bias.

The user needs to be aware of and should explore the potential bias for nonresponse in any analysis of the NHANES II data.

TAPE POSITION 327

Poverty/non-poverty segments

Individuals interviewed during NHANES II were selected by means of a multi-stage, stratified probability sample of loose clusters of households by geographic locations. 8 Clusters of housing units (segments) were designated as either 'poverty' or 'nonpoverty' (See Detailed Notes for description of Poverty Index) in the sample selection process to insure adequate representation of low income persons in the sample.

TAPE POSITIONS 453-461

| Code | Γ | Disease |
|------|-----------------------|---|
| 1 | E M | tic fever (Active) Chorea Indocarditis (rheumatic) (active or acute) (yocarditis (rheumatic) (active or acute) Pericarditis (rheumatic) (active or acute Cheumatic Health Disease (active or acute) |
| 2 | A | c rheumatic heart disease cortic, endocardial or mitral (chronic) Incompetency Insufficiency Obstruction Sclerosis Stenosis chdocardial Aneurysm |
| 3 | A A B H H | ension rteriolar nephritis rteriosclerosis of kidney right's disease (chronic) rypertensive cardiovascular renal rypertensive renal failure rephrosclerosis |
| 4 | A A C C | ic heart disease cute myocardial infarction ngina pectoris ardiac infarction oronary Embolism Occlusion Rupture Thrombosis nfarction of heart, myocardium, or ventricle upture of heart or myocardium |

TAPE POSITIONS 453-461 Continued

| Code | Disease |
|------|--|
| 5 | Other forms of heart disease Acute pericarditis (nonrheumatic) Aortic, endocardial or mitral (nonrheumatic) Incompetency Insufficiency Obstruction Stenosis Auricular fibrillation or flutter Bacterial endocarditis Cardiac enlargement or hypertrophy Cardiac or myocardial insufficiency Carditis Congestive heart failure Enlargement of heart Left ventricular failure Acute edema of lung Acute pulmonary edema Acute cardiac asthma Mycotic aneurysm Paroxysmal tachycardia Pulmonary heart disease Septic myocarditis Toxic myocarditis Ventricular fibrillation or flutter Ventricular dilation |
| 6 | Cerebrovascular disease Cerebral: Arteriosclerosis Embolism Hemorrhage Thrombosis Meningeal hemorrhage Paralytic stroke Ruptured cerebral aneurysm |
| 7 | Arteriosclerosis Of aorta Of renal artery Senile Generalized and unspecified |

TAPE POSITIONS 453-461 Continued

| Code Dis | ease |
|----------|------|
|----------|------|

Other diseases of the circulatory system Aortic aneurysm Arterial embolism and thrombosis Buerger's disease Chilblains Elephantiasis 8 Gangrene Hemorrhoids Hypotension Peripheral vascular disease Phlebitis Pulmonary embolism and infarction Raynaud's disease Rupture of blood vessel Varicose veins

9 Other chest pain - not cardiovascular

TAPE POSITIONS 603-608 and 619-624

| Code | Disease |
|------|--|
| 1 | Acute arthritis Arthritis of spine, hip, upper and lower extremitis Arthritis due to an infection: Dysentary Enteritis Parathyphoid Typhoid Urethritis Rheumatoid Arthritis |
| 2 | Osteoarthritis and allied conditions Degenerative Hypertrophic Other specified forms of arthritis Allergic Articular rheumatism Traumatic Arthritis, unspecified |
| 3 | Rheumatism, polymyositis, and dermatomyositis Rheumatism Fibrositis Frozen shoulder Muscular rheumatism Myalgia Myofibrosis Neck contracture Neuritis (rheumatic) Periarthritis Radiculitis Torticellis (spasmodic or spastic) Wry neck Osteomyelitis and periostitis Abcess of bone Acute osteomyelitis Arrest of growth Aseptic necrosis Backache or back pain Calcaneal spur Cervicalgia (pain in neck) Compression of cervical spinal cord Cyst of bone (except jaw) |

TAPE POSITIONS 603-608 and 619-624 Continued

Code

Disease

Flexion contracture of fingers
Hyperostosis of skull
Loose body in knee
Neuritis
Osteochondrosis
Paget's disease of bone
Pellegrini
Recurrent dislocation of shoulder, elbow, knee
Sciatica
Sprain or Strain of Sacroiliac
Spontaneous fracture
Stiffnes of joint spine, shoulder, elbow, wrist, finger, hip,
knee, ankle
Vertebral artery compression

```
Other diseases of the musculoskeletal system
              Abscess of bursa
              Bunion
              Bursitis
              Calcium deposits in joint or tendon
              Curvature of spine
              Cyst of meniscus
              Deformity of:
                   Ankle and foot (exluding toes)
                        Clawfoot
                        Clubfoot
                        Equinovarus
                   Arm
                   Bone
                   Chest
5
                   E1bow
                   Fingers
                        Mallet fingers
                   Forearm (excluding fingers)
                        Clawhand
                        Clubhand
                   Hip
                   Knee
                   Leg
                   Neck
                   Nose
                   Pelvis
                   Rib
                   Shoulder
                   Spine
                   Toes
                        Clawtoe
                        Hammer toe
                   Wrist
              Fallen or broken arches
              Fibrous myositis
              Flat feet
              Housemaid's knee
              Hunchback
              Infective myositis
              Inflammation of muscle, tendon, or fascia
              Kyphosis
              Muscular atrophy
              Short achilles tendon
              Synovitis
              Tenosynovitis
```

TAPE POSITIONS 535-559 (odd numbers), 536-560 (even numbers), and 561-573

These fields contain data on kinds of treatment for back and neck trouble.

Although it was expected that a "Yes" reply to question 6a ("...ever need any of the following kinds of treatment for your back or neck trouble") and a "No" reply to question 6b ("Did it do you any good?") would end the sequence of questioning for question 6, a number of respondents who answered "Yes" to question 6a and "No" to question 6b were also asked question 6c ("Are you now using it regularly for your back or neck trouble?"). These records were verified and no keying errors were found.

TAPE POSITIONS 779-784

These positions contain pregnancy history data. The total number of pregnancies recorded may include current pregnancies, induced abortions, spontaneous abortions (miscarriages), and/or live births. Also, the number of live births may include multiple births for single pregnancies. In cases where the total number of pregnancies differs from the sum of miscarriages and live births, the data were verified against the original interview documents.

TAPE POSITION 810

The term "Dummy Record" refers to a tape record for a respondent who was included in the sample but for whom no Health History Supplement Questionnaire was received. Although demographic data are available for all respondents, positions 355-790 are all blank in dummy records, and position 810 contains a code of "1" to identify such records. If position 810 contains the code "blank", at least some Health History Supplement Questionnaire data were received for that respondent.

TAPE POSITIONS 791-808

Blood Pressure

These fields contain data on blood pressure, which were obtained only for sample persons aged 6 years and over. The blood pressure data on this tape are limited to those for persons 12 through 74 years of age; data for persons 6 through 11 years of age are available on another public use data tape: Medical History, Ages 6 Months-11 Years (catalog number 5010).

At the beginning of the physical examination the physician took the sample person's blood pressure while the person was in a sitting position. The physician took the person's blood pressure twice more at the end of the examination, once while the person was recumbent and again while sitting. The following guidelines, based on the American Heart Association's Recommendations for Human Blood Pressure Determinations by Sphygmomanometers (Committee to Revise Standardization of High Blood Pressure Readings, New York, American Heart Association, October, 1951), were generally observed:

- 1. The cuff was at least 20 percent wider than the diameter of the arm or covered approximately two-thirds of the arm. (An adult 12.5 cm. cuff and a pediatric 9.5 cm. cuff were provided.)
- 2. The manometer was at eye level with the physician.
- 3. The meniscus of the mercury instruments was checked weekly for zerolevel calibration.
- 4. While measuring, the rate of falling pressure was maintained 2-3 mmHg per heartbeat, which was slow enough to detect the first and last sounds but sufficiently rapid to avoid the intermittent trapping of blood between systolic and diastolic levels.
- 5. For diastolic pressure, the level was recorded at the point of complete cessation of Korotkoff's sounds or, if there was no cessation, the point of muffling.
- 6. Measurements were recorded to the nearest 2 mm. on the scale.

V. <u>APPENDIX</u> DATA COLLECTION TECHNIQUES AND CONTENT

The plan developed with respect to the content of NHANES II called for the following:

A. QUESTIONNAIRES COMPLETED IN THE HOUSEHOLD

1. Household questionnaire. This questionnaire included for each household member items on family relationships and certain demographic variables such as age, sex, race, education, occupation, and veteran status. Also obtained were information on selected housing characteristics, family income, and an indication of the family's participation in food stamp programs.

2. Medical history questionnaires.

- a. For each sample person 6 months-11 years of age
 This questionnaire included items on birth weight,
 prematurity, congenital conditions, medication, neurological
 conditions, lead poisoning, accidents, hospital care,
 disability, diarrhea, pica, vision, and a variety of chronic
 conditions. In addition, data were collected on allergies,
 kidney and bladder disease, anemia, speech and hearing, lung
 and chest conditions and participation in food programs.
- b. For each sample person 12-74 years of age
 The questionnaire included items on medication, hospital
 care, tuberculosis, a variety of acute and chronic diseases,
 tobacco usage, physical activity, weight, height, vision
 disability, eating and gastrointestinal problems, and
 participation in food programs. Detailed data were
 collected on anemia, diabetes, respiratory conditions,
 hearing and speech, liver and gallbladder conditions, kidney
 and bladder disease, allergies, hypertension, cardiovascular
 conditions, stroke and arthritis (stressing middle and upper
 back and neck problems).

B. QUESTIONNAIRES ADMINISTERED IN THE MOBILE EXAMINATION CENTER

1. Dietary Questionnaires

- a. For each examined person a 24-Hour Recall was administered by trained dietary interviewers. Specific and quantitative detail of every food or drink consumed during the previous day was recorded and calculated, thus providing estimates of calories, protein, carbohydrates, fat, unsaturated fats, cholesterol, and specific vitamins and minerals consumed.
- b. For each examined person a Food Frequency questionnaire was administered to ascertain usual patterns of food consumption. Daily and/or weekly consumption of foods within 26 subgroups were recorded. In addition, data were collected on usual vitamin-mineral supplement usage.
- c. For each person 12-74 years of age a Dietary Supplement form was self-administered and reviewed. This form provided information on special diets, recent medications and barriers to purchasing groceries or eating foods; it does not provide information on vitamin/mineral or other supplements to the diet.
- 2. Health History Supplement, for persons 12 through 74 years of age, included questions on cardiovascular and respiratory conditions, kidney and bladder disease, and arthritis in addition to those asked in the household Medical History. Also included were questions on pesticide exposure, smoking for persons 12 through 17 years of age, and a menstrual and pregnancy history for females.
- 3. Medications/Vitamin Usage form collected information on the past week's usage of any medicines, vitamins or minerals for all examined persons.
- 4. <u>Behavior Questionnaire</u> elicited data on behavior which may be associated with coronary heart disease for examined persons 25 through 74 years of age.

C. EXAMINATION BY PHYSICIAN

A physician performed and recorded the results of a medical examination giving special attention to specified findings related to nutrition, to hearing, to the thyroid gland, and to the cardiovascular, respiratory, neurological and musculoskeletal systems.

D. SPECIAL CLINICAL PROCEDURES AND TESTS

A specially trained health technician carried out the following on examined persons in the designated age ranges:

- Spirometry trials of examined persons 6 through 24 years of age
 were digitized and recorded on magnetic tape. Various pulmonary
 function indicators such as FVC (forced vital capacity), FEV₁
 (forced expiratory volume in one second), and peak flow rate were
 subsequently derived from these data.
- 2. <u>Electrocardiograms</u> were made on examined persons 25 through 74 years of age. Electrocardiographic signals were digitized and recorded on magnetic tape, providing normative data on amplitude, duration, interval and axis measurements and permitting interpretations of heart disease according to the Minnesota classification code.
- 3. <u>Body Measurements</u> were made on all examinees and included standing height or recumbent length, depending on age; body weight; triceps and subscapular skinfolds; and several other anthropometric measurements.
- 4. Puretone audiometry tests were carried out on examined persons between the ages of 4 and 19 years, permitting determination of threshold levels of hearing for frequencies of 500, 1000, 2000, and 4000 Hertz for right and left ears.
- 5. Speech recording, involving use of tape recording of the subject's repetition of specially developed sentences, was carried out on examined persons between the ages of 4 and 6 years, permitting interpretations as an indication of problems with articulation and language development.

6. Allergy tests, involving skin tests (prick test) with eight common allergens (house dust, alternaria, cat fur, dog fur, ragweed, oak, rye grass, and Bermuda grass). The tests were made on examined persons between the ages of 6 and 74 years, to obtain degrees of skin reaction.

E. X-RAYS

For examined persons 25 through 74 years of age, two x-rays were made. No x-rays were taken of pregnant women and no lumbar x-rays were taken on women under 50 years of age.

- 1. X-rays of the cervical and lumbar spine were taken to provide evidence of osteoarthritis and degenerative disc disease, and an
- 2. X-ray of the chest was taken to be used in the diagnosis of respiratory diseases and to serve as a measure of left ventricular enlargement.

F. URINE TESTS

Tests as follows were performed on casual samples of urine:

- 1. <u>N-Multistix tests</u> for qualitative protein, glucose, ketones, bilirubin, blood, urobilinogen, pH, and bacteriuria (nitrite test) were done for examined persons 6 through 74 years of age.
- 2. <u>Urinary sediments</u>, including red cells, white cells, and casts, were measured for a subsample of examined adults 20 through 74 years of age.
- 3. Gonorrhea cultures of urinary sediments were performed for male and female examined persons 12 through 40 years of age. However, of those females who received the Glucose Tolerance Test (GTT), only those 20 through 24 years had the gonorrhea test performed.
- 4. Analyses for pesticide residue and metabolite levels were carried out on a subsample of examined persons 12 through 74 years of age, including measures of the body burdens from exposure to alkyl phosphate residues and metabolites, carbamate residues, phenolic compound residues and malathion metabolites.

G. TESTS ON BLOOD SAMPLES

Samples of blood provide a broad range of information related to health and nutrition. The particular tests performed varied with the specific target condition and age group as described on page 39 of the Series 1, No. 15 program description.⁸

1. Glucose tolerance test (GTT)

This test involved collection of blood specimens while in a fasting state as well as at one and two hours after glucose challenge. The test was performed on a subsample of examined adults 20 through 74 years of age to provide estimates of the prevalence of diabetes.

2. Tests related to liver function

- a. A post-prandial liver bile acid test was performed to measure the ability of the liver to remove bile acids from the blood. This involved consumption of a food preparation, which induces eventual addition of bile acids to the blood via contraction of the gallbladder, and subsequent collection of blood specimens.
- b. Liver biochemistries performed include bilirubin, SGOT, and alkaline phosphatase tests.

3. Anemia-related laboratory tests

The tests made to characterize anemia consisted of protoporphyrin, iron, total iron binding capacity (TIBC), zinc, copper, red cell folates, serum folates, serum ferritin, B_{12} , and the determination of abnormal hemoglobin.

4. Other nutritional biochemistries

These tests included albumin, Vitamin A, and Vitamin C.

5. Serum lipids

Because of their important relevance to cardiovascular disease, determinations were made of cholesterol, triglycerides, and high density lipoprotein (HDL).

6. Biochemistries for body burden from environmental exposures Determinations were made of body burden levels of lead and pesticide residues and metabolites. Tests were also performed for carboxyhemoglobin which reflects environmental exposure to carbon monoxide and the individual's smoking habits.

7. Hematology

The hematology included determinations of hemoglobin, hematocrit, red blood cell count, white blood cell count and differential leukocyte analysis, and red blood cell morphology and hemoglobin phenotyping.

8. Kidney function

The only quantitative test for kidney function performed on blood samples was the serum creatinine test.

9. Syphilis

The serology determinations for syphilis included qualitative and quantitative ART, a FTA-ABS and MHA-TP.

VI. REFERENCES

- National Center for Health Statistics: Replication: An approach to the Analysis of Data from Complex Surveys, by P.J. McCarthy. <u>Vital</u> and <u>Health Statistics</u>. Series 2, No. 14. DHEW Pub. No. (PHS) 79-1269. Public Health Service. Washington, D.C. U.S. Government Printing Office, 1966.
- Survey Research Center Computer Support Group, OSIRIS IV User's Manual, Institute for Social Research, University of Michigan, Ann Arbor, Michigan, 1979.
- ³ Holt, M. M.: SURREGR: Standard Errors of Regression Coefficients from Sample Survey Data. Research Triangle Institute, Research Triangle Park, N.C., 1977. (Revised April 1982 by B. V. Shah)
- ⁴ Hidiroglou, M. A., Fuller, W. A., Hickman, R. D.: SUPER CARP. Survey Section, Statistical Laboratory, Iowa State University, Ames, Iowa. Sixth Edition. October, 1980.
- ⁵ Woodruff, R. S.: A Sample Method for Approximating the Variance of a Complicated Estimate. <u>Journal of the American Statistical Association</u>, 66:411-414, 1971.
- 6 Shah, B.V.: SESUDAAN: Standard Errors Program for Computing of Standardized Rates from Sample Survey Data. Research Triangle Institute, Research Triangle Park, N.C., RTI/5250/00-01S, April, 1981.
- National Center for Health Statistics: A Statistical Methodology for Analyzing Data from a Complex Survey: The First National Health and Nutrition Examination Survey, by J. R. Landis, J. M. Lepkowski, S. A. Stehouwer, and S. A. Eklund. <u>Vital and Health Statistics</u>. Series 2, NO. 92. DHHS Pub. No. (PHS) 82-1366. Public Health Service. Washington, D.C. U.S. Government Printing Office, September, 1982.

- National Center for Health Statistics: Plan and Operation of the Second National Health and Nutrition Examination Survey, 1976-1980, by A. McDowell, A. Engel, J. T. Massey and K. Maurer. Vital and Health Statistics. Series 1, No. 15. DHHS Pub. No. (PHS) 81-1317. Public Health Service. Washington, D.C. U.S. Government Printing Office, July, 1981.
- 9 U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1976 (Advance Report). <u>Current Population Reports</u>. Series P-60, No. 107. U.S. Government Printing Office, Washington, D.C., 1977.
- 10 U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1977 (Advance Report). Current Population Reports. Series P-60, No. 116. U.S. Government Printing Office, Washington, D.C., 1978.
- U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1978 (Advance Report). <u>Current Population Reports</u>. Series P-60, No. 120. U.S. Government Printing Office, Washington, D.C., 1979.
- U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1979 (Advance Report). Current Population Reports. Series P-60, No. 125. U.S. Government Printing Office, Washington, D.C., 1980.
- 13 U.S. Bureau of the Census: Money Income and Poverty Status of Families and Persons in the United States: 1980 (Advance Data from the March, 1981 <u>Current Population Survey</u>). <u>Current Population Reports</u>. Series P-60, No. 127. U.S. Government Printing Office, Washington, D.C., 1981.

- 14 Orshansky, M.: Counting the Poor: Another Look at the Poverty Profile. Social Security Bulletin. Vol. 28, No. 1. U.S. Government Printing Office, Washington, D.C., January, 1965.
- Orshansky, M.: Who's Who Among the Poor: A Demographic View of Poverty. Social Security Bulletin. Vol. 28, No. 7. U.S. Government Printing Office, Washington, D.C., July, 1965.
- 16U.S. Bureau of the Census: Special Studies. <u>Current Population</u>
 <u>Reports</u>. Series P-23, No. 28. U.S. Government Printing Office,
 Washington, D.C., August 12, 1969.
- 17 Circular No. A-46, Transmitted Memorandum No. 9, Executive Office of the President, Bureau of the Budget, August 29, 1969, and Exhibit L (rev.).